

KPIs for Australian Public Mental Health Services: PI 13 – Consumer outcomes participation, 2015–

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

KPIs for Australian Public Mental Health Services: PI 13 – Consumer outcomes participation, 2015–

Identifying and definitional attributes

Metadata item type:	Indicator
Indicator type:	Indicator
Short name:	MHS PI 13: Consumer outcomes participation, 2015–
METEOR identifier:	596814
Registration status:	Health! , Standard 19/11/2015
Description:	Proportion of episodes of ambulatory mental health care with completed consumer outcome measures.

NOTE: There is no jurisdictional level data source available for this indicator, therefore, there is no Jurisdictional level version of this indicator specification.

Rationale:	<ul style="list-style-type: none">• A key goal of the National Mental Health Strategy is for consumers and carers to be actively involved in treatment planning, decision making, and definition of treatment objectives. Consumer self-assessment outcome measures provide one mechanism for achieving this goal.• Self-assessment measures provide useful information about how well consumers feel they are able to cope with their usual activities and are an opportunity for consumers, carers and clinicians to track progress through comparison of ratings over time.• Offering a self-assessment measure can be useful for engagement as well as collaboration between consumers, carers and clinicians and can enrich treatment and care planning.• Obtaining a consumer self-assessment measure requires mental health services to have an adequate degree of engagement (both clinically and organisationally) with consumers to facilitate this process.
-------------------	---

Indicator set:	Key Performance Indicators for Australian Public Mental Health Services (Service level version) (2015–) Health! , Superseded 16/02/2021
-----------------------	--

Collection and usage attributes

Computation description: Coverage/Scope:

All public community mental health service organisations.

The following episodes (and related outcomes measures) are excluded:

- [Brief ambulatory care episodes](#).

Methodology:

- Consumer self-assessment measures that are specific to each jurisdiction need to be considered in the construction of this indicator, that is, Mental Health Inventory (MHI), Behaviour and System Identification Scale (BASIS-32) and Kessler-10-Plus (K10+).
- Only the following versions of the Strengths and Difficulties Questionnaire (SDQ) are to be considered in the construction of this indicator:
 - The parent-rated version for children aged 4–10 years;
 - Either the parent-rated version and/or the self-report version for adolescents aged 11–17 years.
- Non-mandated measures (such as the teacher-version of the SDQ) should not be considered in the construction of this indicator.
- All completed returns (of mandated measures) are to be considered in the construction of the numerator. For example, if both a parent-rated version and self-report version of the SDQ is received this would count as two completed outcome measures.

Computation: $(\text{Numerator} \div \text{Denominator}) \times 100$

Numerator: Number of in-scope episodes of ambulatory mental health care with completed consumer self-assessment outcome measures.

Numerator data elements: **Data Element / Data Set**

Guide for use

A completed consumer self-assessment outcome measure is defined as a consumer self-assessment outcome measure where at least one of the required items is entered. Note that measures that are offered to consumers and/or parents/carers but not returned are not considered completed.

Denominator: Number of in-scope episodes of ambulatory mental health care in the reference period.

Disaggregation: Service variables: Target population
Consumer variables: Age

Representational attributes

Representation class: Percentage

Data type: Real

Unit of measure: Episode

Indicator conceptual framework

Framework and dimensions: [Responsive](#)
[Capable](#)

Accountability attributes

Benchmark: Levels at which indicator can be useful for benchmarking:

- service unit
- mental health service organisations
- regional group of services
- state/territory.

Further data development / collection required: This indicator cannot be constructed, as estimates of the total number of episodes requiring outcome measures are not provided directly to the National Outcomes and Classification Collection.

A proxy solution is to use estimates from the Community Mental Health Care National Minimum Data Set.

Longer term, a process is needed that allows data reported to the national collection for consumers who begin an episode in a given year to be tracked when the episode continues into subsequent years. Work is underway to build in an episode identifier into the NOCC to enable this. Additionally, consistent, cross-year use of service identifiers and unique identifiers for consumers by states and territories is necessary to enable full capacity to construct this indicator using the NOCC.

Other issues caveats:

- Given the different protocol requirements across service settings the national indicator is only constructed for the ambulatory setting. This is not to diminish the importance of the use of the measures within acute inpatient (for child and adolescent) and residential settings.
- The National Outcomes and Casemix Collection protocol requires that consumer self-assessment outcome measures be offered at the commencement of care and at maximum intervals of 91 days thereafter until completion of care, at which point an exit measure is offered.

Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare on behalf of the National Mental Health Performance Subcommittee.

Reference documents: Key Performance Indicators for Australian Public Mental Health Services, Third edition (2014)

Relational attributes

Related metadata references: Has been superseded by [KPIs for Australian Public Mental Health Services: PI 13 – Mental health consumer outcomes participation, 2018 \(Service level\) Health!](#), Superseded 16/02/2021