

Perinatal NBEDS 2016-17

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Perinatal NBEDS 2016-17

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
-	Perinatal NMDS 2014-18	517456		
-	Anaesthesia administered indicator	495466	Boolean [1]	1 Yes 2 No
-	Analgesia administered indicator	495381	Boolean [1]	1 Yes 2 No
-	Method of birth	295349	Number [1]	1 Vaginal—non-instrumental 2 Vaginal—forceps 4 Caesarean section 5 Vaginal— vacuum extraction 9 Not stated/inadequately described
-	Birth plurality	482409	Number [1]	1 Singleton 2 Twins 3 Triplets 4 Quadruplets 5 Quintuplets 6 Sextuplets 8 Other 9 Not stated
-	Presentation at birth	299992	Number [1]	1 Vertex 2 Breech 3 Face 4 Brow 8 Other 9 Not stated/inadequately described
-	Labour onset type	495690	Number [1]	1 Spontaneous 2 Induced 3 No labour 9 Not stated
-	Actual place of birth	269937	Number [1]	1 Hospital, excluding birth centre 2 Birth centre, attached to hospital 3 Birth centre, free standing 4 Home 8 Other 9 Not stated

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
-	State/Territory of birth	270151	Number [1]	1 New South Wales 2 Victoria 3 Queensland 4 South Australia 5 Western Australia 6 Tasmania 7 Northern Territory 8 Australian Capital Territory 9 Other territories (Cocos (Keeling) Islands, Christmas Island and Jervis Bay Territory)
-	Type of anaesthesia administered during a birth event	422383	Number [2]	2 Local anaesthetic to perineum 3 Pudendal block 4 Epidural or caudal block 5 Spinal block 6 General anaesthesia 7 Combined spinal-epidural block 88 Other anaesthesia 99 Not stated/inadequately described
-	Type of analgesia administered during a birth event	471867	Number [2]	2 Nitrous oxide 4 Epidural or caudal block 5 Spinal block 6 Systemic opioids 7 Combined spinal-epidural block 88 Other analgesia 99 Not stated/inadequately described
-	Apgar score at 5 minutes	289360	String [2]	00-10 Apgar score 99 Not stated/inadequately described
-	Birth order	269992	Number [1]	1 Singleton or first of a multiple birth 2 Second of a multiple birth 3 Third of a multiple birth 4 Fourth of a multiple birth 5 Fifth of a multiple birth 6 Sixth of a multiple birth 8 Other 9 Not stated
-	Status of the baby	269949	Number [1]	1 Live birth 2 Stillbirth (fetal death) 9 Not stated

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
-	Infant weight, neonate, stillborn	269938	Number [4]	NNNN Total number of grams.
-	Separation date	270025	Date/Time [8]	DDMMYYYY The day of a particular month and year.
-	Establishment identifier	269973	String [9]	NNX[X]NNNNN A combination of numeric and alphanumeric characters that identify an entity.
-	Postpartum perineal status	423659	Number [2]	1 Intact 2 1st degree laceration/vaginal graze 3 2nd degree laceration 4 3rd degree laceration 5 Episiotomy 7 4th degree laceration 88 Other perineal laceration, rupture or tear 99 Not stated/inadequately described
-	Number of tobacco cigarettes smoked per day after 20 weeks of pregnancy	365445	Number [3]	998 Occasional smoking (less than one) 999 Not stated/inadequately described
-	Tobacco smoking indicator, after 20 weeks of pregnancy	365417	Number [1]	1 Yes 2 No 9 Not stated/inadequately described
-	Tobacco smoking indicator, first 20 weeks of pregnancy	365404	Number [1]	1 Yes 2 No 9 Not stated/inadequately described
-	Caesarean section at most recent previous birth indicator	422187	Number [1]	1 Yes 2 No 7 Not applicable 9 Not stated/inadequately described
-	Antenatal care visits	423828	Number [2]	99 Not stated/inadequately described
-	Parity	501710	Number [2]	99 Not stated
-	Area of usual residence (SA2)	659725	String [9]	N(9) A code set representing a medium-sized general purpose area aggregated from whole Statistical areas level 1 (SA1s).
-	Country of birth	659454	Number [4]	NNNN The Standard Australian Classification of Countries (SACC 2016) code set representing a country.

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
-	Date of birth	287007	Date/Time [8]	DDMMYYYY The day of a particular month and year.
-	Indigenous status	602543	Number [1]	1 Aboriginal but not Torres Strait Islander origin 2 Torres Strait Islander but not Aboriginal origin 3 Both Aboriginal and Torres Strait Islander origin 4 Neither Aboriginal nor Torres Strait Islander origin 9 Not stated/inadequately described
-	Person identifier	290046	String [20]	XXXXXXXX[X(14)] A logical combination of valid alphanumeric characters that identify an entity.
-	Sex	287316	Number [1]	1 Male 2 Female 3 Intersex or indeterminate 9 Not stated/inadequately described
-	Pregnancy duration at the first antenatal care visit	379597	Number [2]	99 Not stated/unknown
-	Gestational age	298105	Number [2]	99 Not stated/unknown
-	Additional indication for caesarean section	587048	Number [2]	1 Fetal compromise 2 Suspected fetal macrosomia 3 Malpresentation 10 Lack of progress; less than or equal to 3 cm cervical dilatation 11 Lack of progress in the first stage; greater than 3 cm to less than 10 cm cervical dilatation 12 Lack of progress in the second stage 13 Placenta praevia 14 Placental abruption 15 Vasa praevia 16 Antepartum/intrapartum haemorrhage 17 Multiple pregnancy 18 Unsuccessful attempt at assisted delivery 19 Cord prolapse 20 Previous adverse perinatal outcome 21 Previous caesarean section 22 Previous severe perineal trauma 23 Previous shoulder dystocia 29 Other obstetric, medical, surgical, psychological indications 30 Maternal choice in the absence of any obstetric, medical, surgical, psychological indications 99 Not stated/inadequately described

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
-	Additional indication for induction of labour	573654	Number [2]	1 Prolonged pregnancy 2 Prelabour rupture of membranes 3 Diabetes 4 Hypertensive disorders 5 Multiple pregnancy 6 Chorioamnionitis (includes suspected) 7 Cholestasis of pregnancy 8 Antepartum haemorrhage 9 Maternal age 10 Body Mass Index (BMI) 11 Maternal mental health indication 12 Previous adverse perinatal outcome 19 Other maternal obstetric or medical indication 20 Fetal compromise (includes suspected) 21 Fetal growth restriction (includes suspected) 22 Fetal macrosomia (includes suspected) 23 Fetal death 24 Fetal congenital anomaly 80 Administrative or geographical indication 81 Maternal choice in the absence of any obstetric, medical, fetal, administrative or geographical indication 89 Other indication not elsewhere classified 99 Not stated/inadequately described

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
-	Main indication for caesarean section	587046	Number [2]	1 Fetal compromise 2 Suspected fetal macrosomia 3 Malpresentation 10 Lack of progress; less than or equal to 3 cm cervical dilatation 11 Lack of progress in the first stage; greater than 3 cm to less than 10 cm cervical dilatation 12 Lack of progress in the second stage 13 Placenta praevia 14 Placental abruption 15 Vasa praevia 16 Antepartum/intrapartum haemorrhage 17 Multiple pregnancy 18 Unsuccessful attempt at assisted delivery 19 Cord prolapse 20 Previous adverse perinatal outcome 21 Previous caesarean section 22 Previous severe perineal trauma 23 Previous shoulder dystocia 29 Other obstetric, medical, surgical, psychological indications 30 Maternal choice in the absence of any obstetric, medical, surgical, psychological indications 99 Not stated/inadequately described

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
-	Main indication for induction of labour	569595	Number [2]	1 Prolonged pregnancy 2 Prelabour rupture of membranes 3 Diabetes 4 Hypertensive disorders 5 Multiple pregnancy 6 Chorioamnionitis (includes suspected) 7 Cholestasis of pregnancy 8 Antepartum haemorrhage 9 Maternal age 10 Body Mass Index (BMI) 11 Maternal mental health indication 12 Previous adverse perinatal outcome 19 Other maternal obstetric or medical indication 20 Fetal compromise (includes suspected) 21 Fetal growth restriction (includes suspected) 22 Fetal macrosomia (includes suspected) 23 Fetal death 24 Fetal congenital anomaly 80 Administrative or geographical indication 81 Maternal choice in the absence of any obstetric, medical, fetal, administrative or geographical indication 89 Other indication not elsewhere classified 99 Not stated/inadequately described
-	Baby head circumference	568380	Number [4]	999.9 Not measured
-	Blood transfusion for primary PPH	522211	Number [1]	1 Yes 2 No 9 Not stated/inadequately described
-	Diabetes during pregnancy	504291	Number [1]	1 Yes 2 No 9 Not stated/inadequately described
-	PPH blood loss	522192	Number [1]	1 500–999 ml 2 1000–1499 ml 3 1500 ml or more 9 Not stated/inadequately described
-	Hypertension during pregnancy	516807	Number [1]	1 Yes 2 No 9 Not stated/inadequately described

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
-	Primary postpartum haemorrhage indicator	504959	Number [1]	1 Yes 2 No 9 Not stated/inadequately described
-	Diabetes mellitus type during pregnancy	516668	Number [1]	1 Pre-existing Type 1 diabetes 2 Pre-existing Type 2 diabetes 3 Gestational diabetes mellitus (GDM) 8 Other type of diabetes mellitus 9 Not stated/inadequately described
-	Diabetes therapy type during pregnancy	516185	Number [1]	1 Insulin 2 Oral hypoglycaemic 3 Diet and exercise 9 Not stated/inadequately described
-	Hypertension type during pregnancy	504548	Number [1]	1 Eclampsia 2 Preeclampsia 3 Gestational hypertension 4 Chronic hypertension 9 Not stated/inadequately described
-	Height (measured)	270361	Number [4]	999.9 Not measured
-	Height (self-reported)	270365	Number [3]	888 Unknown 999 Not stated/inadequately described
-	Weight in kilograms (measured)	270208	Number [4]	999.9 Not collected
-	Weight (self-reported)	302365	Number [3]	888 Unknown 999 Not stated