3.5 Number of hysterectomy and endometrial ablation admissions to hospital per 100,000 women,



© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

3.5 Number of hysterectomy and endometrial ablation admissions to hospital per 100,000 women, 2012-13

Identifying and definitional attributes

Metadata item type: Indicator Indicator type: Indicator

Short name: Hysterectomy and endometrial ablation hospital admissions, 2012-13

METEOR identifier: 612107

Registration status: National Health Performance Authority (retired), Retired 01/07/2016

Australian Commission on Safety and Quality in Health Care, Standard 23/11/2016

Description: Number of hysterectomy and endometrial ablation admissions to hospital per

100,000 women, age standardised. Data are disaggregated by the area in which

the person lives.

Indicator set: Australian Atlas of Healthcare Variation

National Health Performance Authority (retired), Retired 01/07/2016 Australian Commission on Safety and Quality in Health Care, Standard

23/11/2016

Collection and usage attributes

Population group age

from:

Women of all ages

Computation description:

Presented as a number per 100,000 people, age standardised, by Statistical Area

level 3.

Analysis by Statistical Area Level 3 (SA3) is based on postcode of usual residence of the patient. The postcode is that which was provided by the patient to the

hospital at which they were admitted.

SA3s where the total population was less than 2,500 or where the population of

women was less than 200 are excluded from analysis.

Suppression protocol for calculating age standardised rates:

Numerator	Total admissions less than 20 (unrounded)
Denominator	ERP for one or more five year age groups less than 30

Computation: 100,000 x (Numerator ÷ Denominator), age standardised

For more information about age-standardisation see

/content/index.phtml/itemld/327276

Numerator: The number of hysterectomy and endometrial ablation surgery admissions to

hospital for women in 2012-13.

Numerator data elements:
— Data Element / Data Set

Hospital service—care type, code N[N].N

NMDS / DSS

Admitted patient care NMDS 2012-13

Guide for use

Include all care types except;

Code	Description
07.3	Unqualified newborn
10.0	Hospital border
09.0	Organ procurement

Data Element / Data Set-

Episode of care—additional diagnosis, code (ICD-10-AM 7th edn) ANN{.N[N]}

NMDS / DSS

Admitted patient care NMDS 2012-13

Guide for use

Exclusion principal or additional diagnosis codes.

ICD-10-AM (7th edn) codes	Description
C00-C96	Malignant neoplasms
D45	Polycythaemia vera
D46	Myelodysplastic syndrome
D47.1	Chronic myeloproliferative disease
D47.3	Essential (haemorrhagic) thrombocythaemia

Data Element / Data Set-

Episode of care—principal diagnosis, code (ICD-10-AM 7th edn) ANN{.N[N]}

NMDS / DSS

Admitted patient care NMDS 2012-13

Data Element / Data Set-

NMDS / DSS

Admitted patient care NMDS 2012-13

Guide for use

Inclusion procedure codes and description.

Principal or additional procedure code of:

ACHI (7th edn) code	Description
90448-00	Subtotal laparoscopic abdominal hysterectomy
35653-00	Subtotal abdominal hysterectomy
90448–01	Total laparoscopic abdominal hysterectomy
35653–01	Total abdominal hysterectomy
90448–02	Total laparoscopic abdominal hysterectomy with removal of adnexa
35653-04	Total abdominal hysterectomy with removal of adnexa
35661–00	Abdominal hysterectomy with extensive retroperitoneal dissection
35670–00	Abdominal hysterectomy with radical excision of pelvic lymph nodes
35667–00	Radical abdominal hysterectomy
35664–00	Radical abdominal hysterectomy with radical excision of pelvic lymph nodes
35750-00	Laparoscopically assisted vaginal hysterectomy
35753–02	Laparoscopically assisted vaginal hysterectomy with removal of adnexa
35756–00	Laparascopically assisted vaginal hysterectomy proceeding to abdominal hysterectomy
35756–03	Laparascopically assisted vaginal hysterectomy proceeding to abdominal hysterectomy with removal of adnexa
35657–00	Vaginal hysterectomy
35673–02	Vaginal hysterectomy with removal of adnexa
35667–01	Radical vaginal hysterectomy
35664–01	Radical vaginal hysterectomy with radical excision of pelvic lymph nodes
90450-00	Anterior pelvic exenteration
90450–01	Posterior pelvic exenteration
90450–02	Total pelvic exenteration
35622-00	Endoscopic endometrial ablation

Data source type: Administrative by-product data

Denominator:

Total female population

Denominator data elements:

Data Element / Data Set

Person—estimated resident population of Australia, total people N[N(7)]

Data Source

ABS Estimated resident population (total population)

Guide for use

ABS Estimated resident population as at June 2001

Data source type: Census based plus administrative by-product data

Disaggregation:

Statistical Area Level 3, which have been derived from <u>Postcode—Australian</u> (<u>person</u>):

• Statistical Area Level 3 (SA3s) are geographic areas defined in the ABS Australian Statistical Geography Standard (ASGS). The aim of SA3s is to create a standard framework for the analysis of ABS data at the regional level through clustering groups of SA2s that have similar regional characteristics. There are 333 spatial SA3s covering the whole of Australia without gaps or overlaps. They are designed to provide a regional breakdown of Australia. SA3s generally have a population of between 30,000 and 130,000 people. There are approximately 50 with fewer than 30,000 people and 35 with more than 130,000 as at 30 June 2011. For further information see the ABS publication, Australian Statistical Geography Standard (ASGS): Volume 1 – Main Structure and Greater Capital City Statistical Areas, July 2011 (cat. no. 1270.0.55.001).

Disaggregation data elements:

Data Element / Data Set

Address—Australian postcode, Australian postcode code (Postcode datafile) {NNNN}

Data Source

National Hospital Morbidity Database (NHMD)

Guide for use

Postcode is that which was provided by the patient to the hospital at which they were admitted.

Data source type: Administrative by-product data

Used for disaggregation by Statistical Area Level 3.

Data Element / Data Set

Address—statistical area, level 3 (SA3) code (ASGS 2011) NNNNN

Representational attributes

Representation class: Rate

Data type: Integer

Unit of measure: Episode

Format: NN[NNNN]

Data source attributes

Data sources:

Data Source

ABS Estimated resident population (total population)

Frequency

Quarterly

Data quality statement

ABS Estimated resident population (total population), QS

Data custodian

Australian Bureau of Statistics

Data Source

National Hospital Morbidity Database (NHMD)

Frequency

Annual

Data custodian

Australian Institute of Health and Welfare

Accountability attributes

Reporting requirements: Australian Commission of Safety and Quality in Health Care's Atlas of Healthcare

Variation, released November 2015

Organisation responsible

for providing data:

Australian Institute of Health and Welfare

Accountability: Australian Commission of Safety and Quality in Health Care

Source and reference attributes

Submitting organisation: National Health Performance Authority

Reference documents: http://www.safetyandquality.gov.au/wp-content/uploads/2014/05

/Exploring-Healthcare-Variation-in-Australia-Analyses-Resulting-from-an-OECD-

Study.pdf