# National Healthcare Agreement: Pl 11-Proportion of



## © Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

# National Healthcare Agreement: PI 11—Proportion of adults with very high levels of psychological distress, 2017

# Identifying and definitional attributes

Metadata item type: Indicator

Indicator type: Progress measure

**Short name:** PI 11–Proportion of adults with very high levels of psychological distress, 2017

METEOR identifier: 630012

**Registration status:** <u>Health!</u>, Superseded 30/01/2018

**Description:** Proportion of adults with very high levels of psychological distress.

Indicator set: National Healthcare Agreement (2017)

Health!, Superseded 30/01/2018

Outcome area: Prevention

Health!, Standard 07/07/2010

Data quality statement: National Healthcare Agreement: PI 11-Proportion of adults with very high levels of

psychological distress, 2017 QS Health!, Standard 31/01/2017

# Collection and usage attributes

**Computation description:** Derived from the <u>Kessler Psychological Distress Scale</u>, with higher scores

indicating a higher level of distress; lower scores indicate a low level of distress.

A ten item scale is currently employed by Australian Bureau of Statistics (ABS) in general population collections (i.e. K10), while a modified five item scale is included in the Aboriginal and Torres Strait Islander population collections (K5).

Total scores from the K10 scale will be grouped as follows:

- 10–15 Low;
- 16–21 Moderate;
- 22–29 High; and
- 30–50 Very high.

Total scores from the K5 scale will be grouped as follows:

- 5-11 Low/moderate; and
- 12–25 High/very high.

Presented as a percentage. Rates are directly age-standardised to the 2001 Australian population. 95% confidence intervals and relative standard errors

calculated for rates.

**Computation:** 100 × (Numerator ÷ Denominator)

**Numerator:** Number of people aged 18 years or over with a very high distress score as

measured by the Kessler Psychological Distress Scale.

#### Numerator data elements:

Data Element / Data Set-

Person-age

**Data Source** 

ABS 2014-15 National Health Survey (NHS)

Guide for use

Data source type: Survey

## Data Element / Data Set-

Person—Kessler Psychological Distress Scale score

**Data Source** 

ABS 2014-15 National Health Survey (NHS)

Guide for use

Data source type: Survey

## Data Element / Data Set-

Person-age

**Data Source** 

ABS 2014-15 National Aboriginal and Torres Strait Islander Social Survey (NATSISS)

Guide for use

Data source type: Survey

## Data Element / Data Set-

Person—Kessler Psychological Distress Scale score

**Data Source** 

ABS 2014-15 National Aboriginal and Torres Strait Islander Social Survey (NATSISS)

Guide for use

Data source type: Survey

**Denominator:** 

Population aged 18 years or over.

# Denominator data elements:

#### Data Element / Data Set

Person-age

**Data Source** 

ABS 2014-15 National Health Survey (NHS)

Guide for use

Data source type: Survey

## -Data Element / Data Set-

Person—age

**Data Source** 

ABS 2014-15 National Aboriginal and Torres Strait Islander Social Survey (NATSISS)

Guide for use

Data source type: Survey

## Disaggregation:

2014-15-State and territory by sex.

2014-15-Nationally by:

- remoteness (Australian Statistical Geography Standard (ASGS) Remoteness Structure)
- 2011 Socio-Economic Indexes for Areas (SEIFA) Index of Relative Socioeconomic Disadvantage (IRSD) quintiles and deciles
- sex by 2011 SEIFA IRSD quintiles (not reported)
- remoteness (major city, other) by 2011 SEIFA IRSD deciles (not reported)
- · disability status

2014–15—Grouped high/very high levels of psychological distress—State and territory by:

- Indigenous status
- remoteness (ASGS Remoteness Structure)
- 2011 SEIFA IRSD quintiles
- · disability status

2014–15—Grouped high/very high levels of psychological distress—Nationally by (all not reported):

- sex by remoteness (ASGS Remoteness Structure)
- remoteness (ASGS Remoteness Structure) by 2011 SEIFA IRSD deciles

Some disaggregations may result in numbers too small for publication.

# Disaggregation data elements:

## Data Element / Data Set

Person—disability status

**Data Source** 

ABS 2014-15 National Health Survey (NHS)

Guide for use

Data source type: Survey

## Data Element / Data Set-

Person—Indigenous status

**Data Source** 

ABS 2014-15 National Health Survey (NHS)

Guide for use

Data source type: Survey

### Data Element / Data Set –

Person—sex, code N

**Data Source** 

ABS 2014-15 National Health Survey (NHS)

Guide for use

Data source type: Survey

## Data Element / Data Set-

Person—area of usual residence, statistical area level 2 (SA2) code (ASGS 2011) N(9)

**Data Source** 

ABS 2014-15 National Health Survey (NHS)

Guide for use

Data source type: Survey

Used for disaggregation by state/territory, remoteness and SEIFA

## Data Element / Data Set-

Person—area of usual residence, statistical area level 2 (SA2) code (ASGS 2011) N(9)

**Data Source** 

ABS 2014-15 National Aboriginal and Torres Strait Islander Social Survey (NATSISS)

Guide for use

Data source type: Survey

Used for disaggregation by state/territory

Comments: Most recent data available for the 2017 National Healthcare Agreement

performance reporting: 2014-15 (total population, non-Indigenous: NHS); 2014-15

(Indigenous only: NATSISS).

National Aboriginal and Torres Strait Islander Social Survey (NATSISS) or National Aboriginal and Torres Strait Islander Health Survey (NATSIHS) data may be used

for analysis, dependent upon which survey is most recent.

The modified K5 scale from the 2014–15 NATSISS was used with the

corresponding 5 questions from the 2014-15 NHS to compare the psychological distress levels of Aboriginal and Torres Strait Islander and non-Indigenous peoples.

# Representational attributes

Representation class: Percentage

Data type: Real Unit of measure: Person Format: N[NN].N

## **Data source attributes**

Data sources: **Data Source** 

ABS 2014-15 National Health Survey (NHS)

Frequency

Every 3 years

Data custodian

Australian Bureau of Statistics

Data Source

ABS 2014-15 National Aboriginal and Torres Strait Islander Social Survey (NATSISS)

Frequency

Every 6 years

Data custodian

Australian Bureau of Statistics

# **Accountability attributes**

Reporting requirements: National Healthcare Agreement

Organisation responsible for providing data:

Australian Bureau of Statistics

Further data development / Specification: Final, the measure meets the intention of the indicator.

collection required:

## Source and reference attributes

**Submitting organisation:** Australian Bureau of Statistics

## Relational attributes

Related metadata references:

Supersedes National Healthcare Agreement: PI 11—Proportion of adults with very high levels of psychological distress, 2016

Health!, Superseded 31/01/2017

Has been superseded by <u>National Healthcare Agreement: PI 11-Proportion of adults with very high levels of psychological distress, 2018</u>

Health!, Superseded 19/06/2019