

# Person—alcohol consumption frequency, AUDIT frequency alcohol consumption code N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Person—alcohol consumption frequency, AUDIT frequency alcohol consumption code N

## Identifying and definitional attributes

<b>Metadata item type:</b>	Data Element
<b>Short name:</b>	Alcohol consumption frequency
<b>METEOR identifier:</b>	632018
<b>Registration status:</b>	<a href="#">HealthI</a> , Standard 28/04/2016
<b>Definition:</b>	The self-reported frequency of a person's alcohol consumption, as measured by the Alcohol Use Disorders Identification Test (AUDIT).
<b>Data Element Concept:</b>	<a href="#">Person—alcohol consumption frequency</a>
<b>Value Domain:</b>	<a href="#">AUDIT frequency alcohol consumption code N</a>

## Value domain attributes

## Representational attributes

<b>Representation class:</b>	Code												
<b>Data type:</b>	Number												
<b>Format:</b>	N												
<b>Maximum character length:</b>	1												
<b>Permissible values:</b>	<table><thead><tr><th>Value</th><th>Meaning</th></tr></thead><tbody><tr><td>0</td><td>Never</td></tr><tr><td>1</td><td>Monthly or less</td></tr><tr><td>2</td><td>2-4 times a month</td></tr><tr><td>3</td><td>2-3 times a week</td></tr><tr><td>4</td><td>4 or more times a week</td></tr></tbody></table>	Value	Meaning	0	Never	1	Monthly or less	2	2-4 times a month	3	2-3 times a week	4	4 or more times a week
Value	Meaning												
0	Never												
1	Monthly or less												
2	2-4 times a month												
3	2-3 times a week												
4	4 or more times a week												
<b>Supplementary values:</b>	9 Unknown												

## Collection and usage attributes

<b>Guide for use:</b>	For use in Prisoner health data collections. If this value domain is to be used with other metadata then 'Unknown' would map to code 8.
-----------------------	-----------------------------------------------------------------------------------------------------------------------------------------

## Source and reference attributes

<b>Submitting organisation:</b>	Australian Institute of Health and Welfare
<b>Origin:</b>	Babor T, Higgins-Biddle JC, Saunders JB, Monteiro MG 2001. The Alcohol Use Disorders Identification Test Guidelines for Use in Primary Care. 2nd edn. Switzerland: World Health Organization.

## Data element attributes

## Collection and usage attributes

**Guide for use:** This data element when used in conjunction with the data elements: [Person—consumption of 6 or more standard drinks on one occasion, AUDIT consuming 6 or more standard drinks code N](#) and [Person—alcohol consumption amount \(self-reported\), total standard drinks NN](#) provides a score on the AUDIT, and a risk of alcohol-related harm.

**Comments:** The AUDIT is an alcohol screen that can help identify patients who are hazardous drinkers or have active alcohol use disorders (including alcohol abuse or dependence).

## Source and reference attributes

**Submitting organisation:** Australian Institute of Health and Welfare

**Origin:** [Babor T, Higgins-Biddle JC, Saunders JB, Monteiro MG 2001. The Alcohol Use Disorders Identification Test Guidelines for Use in Primary Care. 2nd edn. Switzerland: World Health Organization.](#)

## Relational attributes

**Related metadata references:** Supersedes [Person—alcohol consumption frequency, AUDIT alcohol consumption frequency code N](#)

[Health!](#), Superseded 28/04/2016

See also [Person—alcohol consumption amount \(self-reported\), total standard drinks NN](#)

[Health!](#), Superseded 17/10/2018

See also [Person—consumption of 6 or more standard drinks on one occasion, AUDIT consuming 6 or more standard drinks code N](#)

[Health!](#), Standard 28/04/2016

**Implementation in Data Set Specifications:** [AUDIT score for risky alcohol consumption cluster](#)

[Health!](#), Standard 28/04/2016

***DSS specific information:***

This data element refers to prison entrants only.

The AUDIT contains the question 'How often do you have a drink containing alcohol?'. The Prisoner Health Information Group amended the question wording for the National Prisoner Health Census to 'Over the last 12 months how often did you have a drink containing alcohol?'

[AUDIT-C score of risky alcohol consumption cluster \(dischargee\)](#)

[Health!](#), Standard 28/04/2016

***DSS specific information:***

This data element refers to prison dischargees only.

The AUDIT contains the question 'How often do you have a drink containing alcohol?'. The Prisoner Health Information Group amended the question wording for the National Prisoner Health Census to 'Prior to your current incarcerations, how often did you have a drink containing alcohol?'