AUDIT score for risky alcohol consumption cluster

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY4.0 (CC BY4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

AUDIT score for risky alcohol consumption cluster

Identifying and definitional attributes

Metadata item type:	Data Set Specification
METEOR identifier:	632025
Registration status:	Health!, Standard 28/04/2016
DSS type:	Data Element Cluster
Scope:	This data cluster is used to provide a score on the World Health Organization's Alcohol Use Disorders Identification Test (AUDIT) screening instrument. The data elements in this cluster relate to alcohol use in the last 12 months only. The AUDIT is a reliable and simple screening tool which is sensitive to the early detection of risky and high-risk (or hazardous and harmful) drinking.

Collection and usage attributes

Guide for use:	elements which record the frequency	sumption cluster comprises three data of alcohol consumption, the number of al day when drinking and the frequency of as on one occasion.
	consumption frequency, AUDIT freque	otal standard drinks NN; Person—alcohol ency alcohol consumption code N; and Person drinks on one occasion, AUDIT consuming 6
	• •	UDIT are scored from 0 to 4, with a maximum ns being 12. A score of 6 or more on the related harm.
	The formula for calculating a standard	drink is:
	Volume of container in litres x % alcol number of standard drinks. For exam	nol by volume (ml/100ml) X 0.789*= The ble:
	285ml full strength beer (4.9% alcohol	l) 1 standard drink
	425ml light beer (2.9% alcohol)	1 standard drink
	375ml stubby or can (4.9% alcohol)	1.4 standard drinks
	425ml full strength beer (4.9% alcohol	l) 1.6 standard drinks
	30 ml spirits (40% alcohol)	1 standard drink
	150ml wine (12% alcohol)	1.5 standard drinks
	*	0.700

* The specific gravity of ethyl alcohol is 0.789.

Collection methods: The AUDIT contains the following questions:

Over the last 12 months:

- a) How often did you have a drink containing alcohol?
- 0 Never
- 1 Monthly or less
- 2 2-4 times a month
- 3 2-3 times a week
- 4 4 or more times a week

b) How many standard drinks would you have on a typical day when you were drinking?

- 0 1 or 2
- 1 3 or 4
- 2 5 or 6
- 3 7 to 9
- 4 10 or more
- c) How often did you have six or more standard drinks on one occasion?
- 0 Never
- 1 Less than monthly
- 2 Monthly
- 3 Weekly
- 4 Daily or almost daily

If the person's response to '(a) How often did you have a drink containing alcohol' is Never, do not ask questions (b) and (c).

The person should only record one answer to each question.

Source and reference attributes

Submitting organisation:	Australian Institute of Health and Welfare
Reference documents:	Department of Health and Ageing 2009. The Australian Standard Drink. Canberra: Department of Health and Ageing.
	Babor T, Higgins-Biddle JC, Saunders JB, Monteiro MG 2001. The Alcohol Use Disorders Identification Test Guidelines for Use in Primary Care. 2nd edn. Switzerland: World Health Organization.
Relational attributes	
Related metadata	Supersedes AUDIT score of risky alcohol consumption cluster

Prison entrants NBEDS Health!, Standard 28/04/2016 DSS specific information:

This cluster is included in the Prisoner health NBEDS as the National Prisoner Health Indicators include the indicator: Proportion of prison entrants who report a high risk of alcohol-related harm (as measured by the AUDIT-C).

Metadata items in this Data Set Specification

Seq Metadata item **Obligation Max** No. occurs Person—alcohol consumption frequency, AUDIT frequency alcohol consumption code Mandatory 1 1 N DSS specific information: This data element refers to prison entrants only. The AUDIT contains the question 'How often do you have a drink containing alcohol?'. The Prisoner Health Information Group amended the question wording for the National Prisoner Health Census to 'Over the last 12 months how often did you have a drink containing alcohol?' 2 Person-alcohol consumption amount (self-reported), total standard drinks NN Conditional 1 Conditional obligation: Conditional on the person having had an alcoholic drink in the last 12 months. DSS specific information: The Prisoner Health NBEDS requires information on the number of standard drinks consumed on a typical day when drinking to be recorded in the following categories: 1 or 2; 3 or 4; 5 or 6; 7 to 9 and 10 or more standard drinks. This data element refers to prison entrants only. 3 Person—consumption of 6 or more standard drinks on one occasion, AUDIT Conditional 1 consuming 6 or more standard drinks code N Conditional obligation: Conditional on the person having had an alcoholic drink in the last 12 months. DSS specific information: This data element refers to prison entrants only.

The AUDIT contains the question 'How often do you have six or more standard drinks on one occasion?' The Prisoner Health Information Group amended the question wording for the National Prisoner Health Census to 'In the last 12 months how often did you have six or more standard drinks on one occasion?'