# Person—type of opioid pharmacotherapy treatment, code N



made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

# Person—type of opioid pharmacotherapy treatment, code N

## Identifying and definitional attributes

Metadata item type: Data Element

**Short name:** Type of opioid pharmacotherapy treatment

METEOR identifier: 634297

Registration status: Health!, Standard 28/04/2016

**Definition:** The type of opioid pharmacotherapy administered to a person, as represented by a

code.

# Data element concept attributes

## Identifying and definitional attributes

Data element concept: Person—type of opioid pharmacotherapy treatment

METEOR identifier: 404785

Registration status: Health!, Standard 25/08/2011

**Definition:** The type of opioid pharmacotherapy administered to a person.

Object class: Person

Property: Type of opioid pharmacotherapy treatment

#### Source and reference attributes

**Submitting organisation:** Australian Institute of Health and Welfare

#### Value domain attributes

### Identifying and definitional attributes

Value domain: Type of opioid pharmacotherapy treatment code N

METEOR identifier: 404755

Registration status: Health!, Standard 25/08/2011

**Definition:** A code set representing a type of drug-based opioid treatment program.

#### Representational attributes

Representation class: Code

Data type: Number

Format: N

Maximum character length: 1

Value Meaning

Permissible values: 1 Methadone

2 Other opioid pharmacotherapy

# Collection and usage attributes

Guide for use: CODE 1 Methadone

Includes treatment programs whereby the administered opioid substitute is

methadone.

CODE 2 Other opioid pharmacotherapy

Includes opioid replacement programs such as naltrexone, buprenorphine,

suboxone or levacetylmethadyl (LAAM).

#### Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare

Reference documents: Kastelic A, Pont J & Stover H 2008. Opioid substitution treatment in custodial

settings: a practical guide. Oldenburg: BIS-Verlag.

#### **Data element attributes**

#### Collection and usage attributes

Guide for use: This data element should be used in conjunction with the data elements: Person—

previous opioid pharmacotherapy treatment program indicator, prisoner health yes/no/unknown code N and Person—current opioid pharmacotherapy treatment program indicator, prisoner health yes/no/unknown code N to provide information

on a person's history of opioid pharmacotherapy treatment.

#### Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare

Reference documents: Dolan KA, Hall W & Wodak A 1996. Methadone maintenance reduces injecting in

prison. British Medical Journal 312:1162.

Kastelic A, Pont J & Stover H 2008. Opioid substitution treatment in custodial

settings: a practical guide. Oldenburg: BIS-Verlag.

#### Relational attributes

Related metadata references:

Supersedes Person—type of opioid pharmacotherapy treatment, code N

Health!, Superseded 28/04/2016

Has been superseded by Person—type of opioid pharmacotherapy treatment,

code N

Health!, Recorded 30/05/2018

See also Person—current opioid pharmacotherapy treatment program indicator,

<u>prisoner health yes/no/unknown code N</u>
<u>Health!</u>, Standard 28/04/2016

See also Person—previous opioid pharmacotherapy treatment program indicator,

prisoner health yes/no/unknown code N Health!, Standard 28/04/2016

# **Specifications:**

Implementation in Data Set Opioid pharmacotherapy treatment cluster Health!, Standard 28/04/2016

#### Conditional obligation:

Conditional on the respondent indicating that they are currently on, or have been on a pharmacotherapy for opioid dependence.

#### DSS specific information:

This data element occurs twice: once for past treatment and once for current treatment.

Opioid pharmacotherapy treatment program cluster Health!, Standard 28/04/2016

#### Conditional obligation:

Conditional on the respondent indicating that they are currently on, or have been on a pharmacotherapy for opioid dependence.

#### DSS specific information:

This data element occurs twice: once for past treatment and once for current treatment.