

# Opioid pharmacotherapy treatment program cluster

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Opioid pharmacotherapy treatment program cluster

## Identifying and definitional attributes

<b>Metadata item type:</b>	Data Set Specification
<b>METEOR identifier:</b>	634954
<b>Registration status:</b>	<a href="#">Health!</a> , Standard 28/04/2016
<b>DSS type:</b>	Data Element Cluster
<b>Scope:</b>	The Opioid pharmacotherapy treatment (OPT) program cluster defines: <ul style="list-style-type: none"><li>• the number of prison dischargees who have been on, or are currently on an OPT program</li><li>• the number of prison dischargees who intend to be on an OPT program on release from prison</li><li>• the type of OPT program a prison dischargee has been on, or is on currently.</li></ul>

## Collection and usage attributes

**Guide for use:** OPT is a form of treatment for heroin or opiate dependence using prescribed opioid agonists, which have some properties similar or identical to those of heroin and morphine, including the effect on the brain, which alleviate withdrawal symptoms and block the craving for illicit opiates. The most common form of opioid pharmacotherapy treatment is methadone maintenance treatment. However, buprenorphine is also quite common in some countries (Kastelic et al. 2008).

Respondents are asked:

- Have you ever been on a methadone program?
- Have you ever been on any other opiate replacement program, for example, naltrexone, buprenorphine, suboxone or LAAM?

Responses may include:

- Yes, on it now and plan to continue after release from prison
- Yes, on it now and do not plan to continue after release from prison
- Yes, in the past only
- No, never
- Unknown.

**Collection methods:** Data is collected on the National Prisoner Health Data Collection Prison Discharge form.

## Source and reference attributes

<b>Submitting organisation:</b>	Australian Institute of Health and Welfare
<b>Reference documents:</b>	<a href="#">Kastelic A, Pont J &amp; Stover H 2008. Opioid substitution treatment in custodial settings: a practical guide. Oldenburg: BIS-Verlag.</a>

## Relational attributes

<b>Related metadata references:</b>	Has been superseded by <a href="#">Opioid pharmacotherapy treatment program cluster</a> <a href="#">Health!</a> , Recorded 30/05/2018
<b>Implementation in Data Set Specifications:</b>	<a href="#">Prison dischargee NBEDS</a> <a href="#">Health!</a> , Standard 28/04/2016

## Metadata items in this Data Set Specification

Seq No.	Metadata item	Obligation	Max occurs
1	<a href="#">Person—previous opioid pharmacotherapy treatment program indicator, prisoner health yes/no/unknown code N</a>	Mandatory	2
2	<a href="#">Person—current opioid pharmacotherapy treatment program indicator, prisoner health yes/no/unknown code N</a>	Mandatory	2

***DSS specific information:***

This data element is included in the Prisoner Health DSS as the National Prisoner Health Indicators include the indicator: Proportion of prisoners in custody who received medication for opioid dependence.

3	<a href="#">Person—type of opioid pharmacotherapy treatment, code N</a>	Conditional	2
---	---	-------------	---

***Conditional obligation:***

Conditional on the respondent indicating that they are currently on, or have been on a pharmacotherapy for opioid dependence.

***DSS specific information:***

This data element occurs twice: once for past treatment and once for current treatment.

4	<a href="#">Prison dischargee—opioid substitution program continuation on release indicator, prisoner health yes/no/unknown code N</a>	Conditional	1
---	--	-------------	---

***DSS specific information:***

This data element is included in the Prisoner Health DSS as the National Prisoner Health Indicators include the indicator: Proportion of prison dischargees on an opiate substitution program while in prison with a plan to continue after release.