

# **Australian Atlas of Healthcare Variation: Number of cervical loop excision or cervical loop ablation hospitalisations per 100,000 women, aged 15 years and over, 2012-13 to 2014-15**

**Exported from METEOR (AIHW's Metadata Online Registry)**

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Australian Atlas of Healthcare Variation: Number of cervical loop excision or cervical loop ablation hospitalisations per 100,000 women, aged 15 years and over, 2012-13 to 2014-15

## Identifying and definitional attributes

<b>Metadata item type:</b>	Indicator
<b>Indicator type:</b>	Indicator
<b>Short name:</b>	Cervical loop excision or cervical laser ablations hospitalisations 15 years and over, 2012-13 to 2014-15
<b>METEOR identifier:</b>	641151
<b>Registration status:</b>	<a href="#">Australian Commission on Safety and Quality in Health Care, Standard 07/06/2017</a>
<b>Description:</b>	Number of cervical loop excision or cervical laser ablation hospitalisations per 100,000 females aged 15 years and over, age standardised. Data are disaggregated by the area in which the female lives.
<b>Indicator set:</b>	<a href="#">Australian Atlas of Healthcare Variation 2017</a> <a href="#">Australian Commission on Safety and Quality in Health Care, Standard 07/06/2017</a>

## Collection and usage attributes

<b>Population group age from:</b>	Female, 15 years and over
-----------------------------------	---------------------------

**Computation description: Inclusion codes, description and additional requirements**

<b>ACHI (7th and 8th edition) code</b>	<b>Description</b>	<b>Additional requirements</b>
35647-00	Large loop excision of transformation zone [LLETZ]	Include records with at least one of the listed procedures. A record with more than one of the listed procedures should only be counted once.
35539-02	Laser destruction of lesion of cervix	

**Exclusion codes, description and additional requirements.**

<b>ICD-10-AM (7th and 8th edn) code</b>	<b>Description</b>	<b>Additional requirements</b>
C51-C58	Malignant neoplasms of female genital organs (primary)	As principal or additional diagnosis code
C79.82	Secondary malignant neoplasm of genital organs	

<b>Care type</b>	<b>Description</b>
7.3	Newborn—unqualified days only
9.0	Organ procurement—posthumous
10.0	Hospital boarder

Presented as a number per 100,000 females

Rates are directly age standardised to the 2001 Australian female population aged 15 years and over, using 5-year age groups 15–19, 20–24, ... , 80–84, 85 and over. Indigenous and other Australian rates are directly age standardised to the 2001 Australian female population aged 15 years and over, using 5-year age groups: 15-19, 20-24, ... , 60–64, 65 and over.

For more information about age-standardisation in general see </content/index.phtml/itemId/327276>

Analysis by Statistical Area Level 3 (SA3) is based on Statistical Area Level 2 (SA2) of usual residence of the patient.

Suppress data (number or rate) if at least one of the following conditions are met:

- the total denominator is less than 1,000
- the total numerator is less than 10

Age standardised rates are suppressed where the denominator for at least one of the age groups used to calculate the rate is below 30.

**Computation:**  $100,000 \times (\text{Numerator} \div \text{Denominator})$

**Numerator:** Number of hospitalisations with cervical loop excisions or cervical laser ablations, 15 years and over.

**Numerator data elements:**

**Data Element / Data Set**

Data source type: Administrative by-product data

**Data Source**

[National Hospital Morbidity Database \(NHMD\)](#)

NMDS / DSS

[Admitted patient care NMDS 2012-13](#)

**Data Element / Data Set**

[Episode of admitted patient care—procedure, code \(ACHI 8th edn\) NNNNN-NN](#)

**Data Source**

[National Hospital Morbidity Database \(NHMD\)](#)

NMDS / DSS

[Admitted patient care NMDS 2014-15](#)

**Guide for use**

Data source type: Administrative by-product data

**Data Element / Data Set**

[Episode of care—principal diagnosis, code \(ICD-10-AM 8th edn\) ANN{,N\[N\]}](#)

**Data Source**

[National Hospital Morbidity Database \(NHMD\)](#)

NMDS / DSS

[Admitted patient care NMDS 2013-14](#)

**Data Element / Data Set**

[Episode of care—principal diagnosis, code \(ICD-10-AM 8th edn\) ANN{,N\[N\]}](#)

**Data Source**

[National Hospital Morbidity Database \(NHMD\)](#)

NMDS / DSS

[Admitted patient care NMDS 2014-15](#)

**Data Element / Data Set**

[Hospital service—care type, code N\[N\]](#)

NMDS / DSS

[Admitted patient care NMDS 2012-13](#)

**Guide for use**

Data source type: Administrative by-product data

**Data Element / Data Set**

[Hospital service—care type, code N\[N\]](#)

NMDS / DSS

[Admitted patient care NMDS 2013-14](#)

**Guide for use**

Data source type: Administrative by-product data

**Data Element / Data Set**

[Hospital service—care type, code N\[N\]](#)

NMDS / DSS

[Admitted patient care NMDS 2014-15](#)

**Guide for use**

Data source type: Administrative by-product data

**Data Element / Data Set**

**Data Source**

[National Hospital Morbidity Database \(NHMD\)](#)

NMDS / DSS

[Admitted patient care NMDS 2013-14](#)

**Guide for use**

Data source type: Administrative by-product data

**Data Element / Data Set**

**Data Source**

[National Hospital Morbidity Database \(NHMD\)](#)

NMDS / DSS

[Admitted patient care NMDS 2014-15](#)

**Guide for use**

Data source type: Administrative by-product data

**Data Element / Data Set**

[Person—date of birth, DDMMYYYY](#)

NMDS / DSS

[Admitted patient care NMDS 2012-13](#)

**Guide for use**

Data source type: Administrative by-product data

**Data Element / Data Set**

[Person—date of birth, MMYYYY](#)

NMDS / DSS

[Admitted patient care NMDS 2013-14](#)

**Guide for use**

Data source type: Administrative by-product data

**Data Element / Data Set**

[Person—date of birth, MMYYYY](#)

NMDS / DSS

[Admitted patient care NMDS 2014-15](#)

**Guide for use**

Data source type: Administrative by-product data

**Data Element / Data Set**

[Episode of care—principal diagnosis, code \(ICD-10-AM 7th edn\) ANN{N\[N\]}](#)

Data Source

[National Hospital Morbidity Database \(NHMD\)](#)

NMDS / DSS

[Admitted patient care NMDS 2012-13](#)

**Data Element / Data Set**

[Episode of admitted patient care—procedure, code \(ACHI 7th edn\) NNNNN-  
NN](#)

**Data Source**

[National Hospital Morbidity Database \(NHMD\)](#)

**NMDS / DSS**

[Admitted patient care NMDS 2012-13](#)

**Guide for use**

Data source type: Administrative by-product data

**Data Element / Data Set**

[Episode of admitted patient care—procedure, code \(ACHI 7th edn\) NNNNN-NN](#)

**Data Source**

[National Hospital Morbidity Database \(NHMD\)](#)

**NMDS / DSS**

[Admitted patient care NMDS 2013-14](#)

**Guide for use**

Data source type: Administrative by-product data

**Denominator:**

Sum of female population, 15 years and over as at 30 June 2012, 30 June 2013 and 30 June 2014.

**Denominator data elements:**

**Data Element / Data Set**

Person—estimated resident population of Australia

**Data Source**

[ABS Indigenous experimental estimates and projections \(2001 Census-based\)](#)

**Guide for use**

Data source type: Census based plus administrative by-product data.

**Data Element / Data Set**

[Person—estimated resident population of Australia, total people N\[N\(7\)\]](#)

**Data Source**

[ABS Estimated resident population \(total population\)](#)

**Guide for use**

Data source type: Census based plus administrative by-product data.

**Disaggregation:**

SA3

- Remoteness (ASGC Remoteness structure) and Socio-Economic Indexes for Areas (SEIFA) Index of Relative Socioeconomic Disadvantage (IRSD)

State and territory by:

- Indigenous status
- Patient funding status

**Disaggregation data elements:****Data Element / Data Set**

[Person—area of usual residence, statistical area level 2 \(SA2\) code \(ASGS 2011\) N\(9\)](#)

**Data Source**

[National Hospital Morbidity Database \(NHMD\)](#)

**Guide for use**

Data source type: Administrative by-product data.

**Representational attributes**

<b>Representation class:</b>	Rate
<b>Data type:</b>	Integer
<b>Unit of measure:</b>	Episode
<b>Format:</b>	N[NNNN]

**Data source attributes**



**Data sources:**

**Data Source**

[ABS Indigenous experimental estimates and projections \(2001 Census-based\)](#)

**Frequency**

Periodic

**Data quality statement**

[ABS Indigenous experimental estimates and projections, QS](#)

**Data custodian**

Australian Bureau of Statistics

**Data Source**

[National Hospital Morbidity Database \(NHMD\)](#)

**Frequency**

Annual

**Data custodian**

Australian Institute of Health and Welfare

**Data Source**

[ABS Estimated resident population \(total population\)](#)

**Frequency**

Quarterly

**Data quality statement**

[ABS Estimated resident population \(total population\), QS](#)

**Data custodian**

Australian Bureau of Statistics

**Accountability attributes**

**Methodology:** Statistical Area Level 3 (SA3s) are geographic areas defined in the ABS Australian Statistical Geography Standard (ASGS). The aim of SA3s is to create a standard framework for the analysis of ABS data at the regional level through clustering groups of SA2s that have similar regional characteristics. There are 333 spatial SA3s covering the whole of Australia without gaps or overlaps. They are designed to provide a regional breakdown of Australia. SA3s generally have a population of between 30,000 and 130,000 people. There are approximately 50 with fewer than 30,000 people and 35 with more than 130,000 as at 30 June 2011. For further information see the ABS publication, Australian Statistical Geography Standard (ASGS): Volume 1 – Main Structure and Greater Capital City Statistical Areas, July 2011 (cat. no. 1270.0.55.001).

The scope of the NHMD is episodes of care for admitted patients in all public and private acute and psychiatric hospitals, free-standing day hospital facilities and alcohol and drug treatment centres in Australia. Hospitals operated by the Australian Defence Force, corrections authorities and in Australia's off-shore territories are not in scope, but some are included.

Private hospitals include private free-standing day hospital facilities and other private hospitals (which also include private psychiatric hospitals).

**Reporting requirements:** Australian Commission on Safety and Quality in Health Care

*Australian Atlas of Healthcare Variation*

**Organisation responsible for providing data:** Australian Institute of Health and Welfare

**Accountability:** Australian Commission on Safety and Quality in Health Care

**Release date:** 07/06/2017