

#### © Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

# Birth event—intended setting of birth, code N

## Identifying and definitional attributes

Metadata item type: Data Element

**Short name:** Intended place of birth

**METEOR identifier:** 668857

**Registration status:** Health!, Superseded 03/12/2020

**Definition:** The intended place of birth at the onset of labour, as represented by a code.

Context: Perinatal

Data Element Concept: Birth event—intended setting of birth

Value Domain: Birth setting code N

#### Value domain attributes

### Representational attributes

Representation class: Code

Data type: Number

Format: N

Maximum character length: 1

	Value	Meaning
Permissible values:	1	Hospital, excluding birth centre
	2	Birth centre, attached to hospital
	3	Birth centre, free standing
	4	Home
	8	Other
Supplementary values:	9	Not stated/inadequately described

#### Data element attributes

# Collection and usage attributes

Guide for use: CODE 4 Home

Reserved for planned home births.

CODE 8 Other

Record for home births without a midwife or other medical professional in

attendance (free births) or a community health centre.

**Comments:** Women who plan to give birth in birth centres or at home usually have different risk

factors for outcome compared to those who plan to give birth in hospitals. Women who are transferred to hospital after the onset of labour have increased risks of

intervention and adverse outcomes.

#### Source and reference attributes

Submitting organisation: National Perinatal Data Development Committee

# **Relational attributes**

Related metadata references:

Supersedes Birth event—setting of birth (intended), code N

Health!, Superseded 12/12/2018

Has been superseded by Birth event—intended setting of birth, code N

Health!, Standard 03/12/2020

See also Birth event—actual setting of birth, code N

Health!, Superseded 03/12/2020