

# **Australian Atlas of Healthcare Variation: Number of lumbar spinal fusion (excluding lumbar spinal decompression) hospitalisations per 100,000 people, aged 18 years and over, 2012-13 to 2014-15**

**Exported from METEOR (AIHW's Metadata Online Registry)**

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Australian Atlas of Healthcare Variation: Number of lumbar spinal fusion (excluding lumbar spinal decompression) hospitalisations per 100,000 people, aged 18 years and over, 2012-13 to 2014-15

## Identifying and definitional attributes

<b>Metadata item type:</b>	Indicator
<b>Indicator type:</b>	Indicator
<b>Short name:</b>	Lumbar spinal fusion (excluding lumbar spinal decompression) hospitalisations, 18 years and over, 2012-13 to 2014-15
<b>METEOR identifier:</b>	675493
<b>Registration status:</b>	<a href="#">Australian Commission on Safety and Quality in Health Care, Standard 07/06/2017</a>
<b>Description:</b>	Number of lumbar spinal fusion (excluding lumbar spinal decompression) hospitalisations per 100,000 people aged 18 years and over, age and sex standardised. Data are disaggregated by the area in which the person lives.
<b>Indicator set:</b>	<a href="#">Australian Atlas of Healthcare Variation 2017</a> <a href="#">Australian Commission on Safety and Quality in Health Care, Standard 07/06/2017</a>

## Collection and usage attributes

<b>Population group age from:</b>	18 years and over
<b>Computation description:</b>	<b>Inclusion codes, description and additional requirement</b>

ICD-10-AM (7th and 8th edition) code	Description	Additional requirement
M43.16	Spondylolisthesis Lumbar region	Principal diagnosis
M43.17	Spondylolisthesis Lumbosacral region	
M48.06	Spinal stenosis Lumbar region	
M48.07	Spinal stenosis Lumbosacral region	
M51.0	Lumbar and other intervertebral disc disorders with myelopathy	
M51.1	Lumbar and other intervertebral disc disorders with radiculopathy	
M51.2	Other specified intervertebral disc displacement	
M54.16	Radiculopathy Lumbar region	

M54.17	Radiculopathy Lumbosacral region	
M54.4	Lumbago with sciatica	
M54.5	Low back pain	
M54.86	Other dorsalgia Lumbar region	
M54.87	Other dorsalgia Lumbosacral region	
M54.96	Dorsalgia, unspecified Lumbar region	
M54.97	Dorsalgia, unspecified Lumbosacral region	

<b>ACHI (7th and 8th edition) code</b>	<b>Description</b>	<b>Additional requirement</b>
40351-00 [47]	Anterior decompression of thoracolumbar spinal cord	Include records with at least one of the listed procedures. A record with more than one of the listed procedures should only be counted once.
48660-00 [1389]	Anterior spinal fusion, 1 level	
48669-00 [1389]	Anterior spinal fusion, >=2 levels	
48642-00 [1389]	Posterior spinal fusion, 1 or 2 levels	
48645-00 [1389]	Posterior spinal fusion, >=3 levels	
48648-00 [1389]	Posterolateral spinal fusion, 1 or 2 levels	
48651-00 [1389]	Posterolateral spinal fusion, >=3 levels	
48654-00 [1389]	Posterior spinal fusion with laminectomy, 1 level	
48657-00 [1389]	Posterior spinal fusion with laminectomy, >=2 levels	
48654-01 [1389]	Posterolateral spinal fusion with laminectomy, 1 level	
48657-01 [1389]	Posterolateral spinal fusion with laminectomy, >=2 levels	

**Exclusion codes and description**

**ICD-10-AM Description  
(7th and 8th edition)  
code**

V00-Y89	External causes of morbidity and mortality
<b>ACHI (7th and 8th edition) code</b>	<b>Description</b>
90024-00 [48]	Decompression of lumbar spinal canal, 1 level
90024-01 [48]	Decompression of lumbar spinal canal, >=2 levels
40330-00 [49]	Spinal rhizolysis
40303-00 [51]	Discectomy for recurrent disc lesion, 1 level
40303-01 [51]	Discectomy for recurrent disc lesion, 2 levels
48636-00 [52]	Percutaneous lumbar discectomy
40300-00 [52]	Discectomy, 1 level
40300-01 [52]	Discectomy, >= 2 levels

#### Exclusion codes and description

Care type	Description
7.3	Newborn—unqualified days only
9.0	Organ procurement—posthumous
10.0	Hospital boarder

Presented as a number per 100,000 people.

Rates are directly age and sex standardised, to the 2001 Australian population aged 18 years and over, using age groups: 18-24, 25-29, ... , 80-84, 85 and over. Indigenous and other Australian rates are directly age and sex standardised, to the 2001 Australian population aged 18 years and over, using age groups: 18-24, 25-29, ... , 60-64, 65 and over.

For more information about age-standardisation in general see </content/index.html/itemId/327276>

Analysis by state and territory is based on Statistical Area Level 2 (SA2) of usual residence of the patient.

Suppress data (number or rate) if at least one of the following conditions are met:

- the total denominator is less than 1,000
- the total numerator is less than 10

Age and sex standardised rates should also be suppressed where the denominator for at least one of the age and sex groups used to calculate the rate is below 30.

**Computation:**  $100,000 \times (\text{Numerator} \div \text{Denominator})$

**Numerator:** Number of lumbar spinal fusion (excluding lumbar spinal decompression) hospitalisations 18 years and over.

**Numerator data elements:**

**Data Element / Data Set**

[Person—date of birth, DDMMYYYY](#)

NMDS / DSS

[Admitted patient care NMDS 2012-13](#)

**Guide for use**

Data source type: Census based plus administrative by-product data

**Data Element / Data Set**

[Hospital service—care type, code N\[N\]](#)

**Data Source**

[National Hospital Morbidity Database \(NHMD\)](#)

NMDS / DSS

[Admitted patient care NMDS 2012-13](#)

**Guide for use**

Data source: Administrative by-product data

**Data Element / Data Set**

[Hospital service—care type, code N\[N\]](#)

**Data Source**

[National Hospital Morbidity Database \(NHMD\)](#)

NMDS / DSS

[Admitted patient care NMDS 2013-14](#)

**Guide for use**

Data source: Administrative by-product data

**Data Element / Data Set**

[Hospital service—care type, code N\[N\]](#)

**Data Source**

[National Hospital Morbidity Database \(NHMD\)](#)

NMDS / DSS

[Admitted patient care NMDS 2014-15](#)

**Guide for use**

Data source: Administrative by-product data

**Data Element / Data Set**

[Person—date of birth, DDMMYYYY](#)

NMDS / DSS

[Admitted patient care NMDS 2013-14](#)

**Guide for use**

Data source type: Census based plus administrative by-product data

**Data Element / Data Set**

[Person—date of birth, DDMMYYYY](#)

NMDS / DSS

[Admitted patient care NMDS 2014-15](#)

**Guide for use**

Data source type: Census based plus administrative by-product data

**Data Element / Data Set**

[Episode of care—principal diagnosis, code \(ICD-10-AM 7th edn\) ANN{,N\[N\]}](#)

**Data Source**

[National Hospital Morbidity Database \(NHMD\)](#)

NMDS / DSS

[Admitted patient care NMDS 2012-13](#)

**Guide for use**

Data source type: Administrative by-product data

**Data Element / Data Set**

[Episode of admitted patient care—procedure, code \(ACHI 7th edn\) NNNNN-NN](#)

**Data Source**

[National Hospital Morbidity Database \(NHMD\)](#)

NMDS / DSS

[Admitted patient care NMDS 2012-13](#)

**Guide for use**

Data source: Administrative by-product data

**Data Element / Data Set**

[Episode of admitted patient care—procedure, code \(ACHI 8th edn\) NNNNN-NN](#)

**Data Source**

[National Hospital Morbidity Database \(NHMD\)](#)

**NMDS / DSS**

[Admitted patient care NMDS 2013-14](#)

**Guide for use**

Data source: Administrative by-product data

**Data Element / Data Set**

[Episode of admitted patient care—procedure, code \(ACHI 8th edn\) NNNNN-NN](#)

**Data Source**

[National Hospital Morbidity Database \(NHMD\)](#)

**NMDS / DSS**

[Admitted patient care NMDS 2014-15](#)

**Guide for use**

Data source: Administrative by-product data

**Data Element / Data Set**

[Episode of care—principal diagnosis, code \(ICD-10-AM 8th edn\) ANN{.N\[N\]}](#)

**Data Source**

[National Hospital Morbidity Database \(NHMD\)](#)

**NMDS / DSS**

[Admitted patient care NMDS 2013-14](#)

**Guide for use**

Data source type: Administrative by-product data

**Data Element / Data Set**

[Episode of care—principal diagnosis, code \(ICD-10-AM 8th edn\) ANN{.N\[N\]}](#)

**Data Source**

[National Hospital Morbidity Database \(NHMD\)](#)

NMDS / DSS

[Admitted patient care NMDS 2014-15](#)

Guide for use

Data source type: Administrative by-product data

**Denominator:**

Sum of population aged 18 years and over as at 30 June 2012, 30 June 2013 and 30 June 2014.

**Denominator data elements:**

**Data Element / Data Set**

Person—estimated resident population of Australia

Data Source

[ABS Indigenous experimental estimates and projections \(2001 Census-based\)](#)

Guide for use

Data source type: Census based plus administrative by-product data

**Data Element / Data Set**

[Person—estimated resident population of Australia, total people N\[N\(7\)\]](#)

Data Source

[ABS Estimated resident population \(total population\)](#)

Guide for use

Data source type: Census based plus administrative by-product

**Disaggregation:**

State and territory by patient funding status

**Disaggregation data elements:**

**Data Element / Data Set**

[Person—area of usual residence, statistical area level 2 \(SA2\) code \(ASGS 2011\) N\(9\)](#)

Data Source

[National Hospital Morbidity Database \(NHMD\)](#)

Guide for use

Data source type: Administrative by-product data

## Representational attributes

Representation class: Rate

Data type: Integer

Unit of measure: Episode

## Data source attributes



**Data sources:****Data Source**

[ABS Indigenous experimental estimates and projections \(2001 Census-based\)](#)

**Frequency**

Periodic

**Data quality statement**

[ABS Indigenous experimental estimates and projections, QS](#)

**Data custodian**

Australian Bureau of Statistics

**Data Source**

[National Hospital Morbidity Database \(NHMD\)](#)

**Frequency**

Annual

**Data custodian**

Australian Institute of Health and Welfare

**Data Source**

[ABS Estimated resident population \(total population\)](#)

**Frequency**

Quarterly

**Data quality statement**

[ABS Estimated resident population \(total population\), QS](#)

**Data custodian**

Australian Bureau of Statistics

**Accountability attributes****Methodology:**

The scope of the NHMD is episodes of care for admitted patients in all public and private acute and psychiatric hospitals, free-standing day hospital facilities and alcohol and drug treatment centres in Australia. Hospitals operated by the Australian Defence Force, corrections authorities and in Australia's off-shore territories are not in scope, but some are included.

Private hospitals include private free-standing day hospital facilities and other private hospitals (which also include private psychiatric hospitals).

ACHI and ICD-10-AM 7th edition were used for 2012–13 data and ACHI and ICD-10-AM 8th edition were used for 2013–14 and 2014–15 data.

**Reporting requirements:**

Australian Commission on Safety and Quality in Health Care

*Australian Atlas of Healthcare Variation*

**Organisation responsible for providing data:**

Australian Institute of Health and Welfare

**Accountability:**

Australian Commission on Safety and Quality in Health Care

**Release date:**

07/06/2017

## Source and reference attributes

**Submitting organisation:** Australian Commission on Safety and Quality in Health Care

## Relational attributes

**Related metadata references:**

See also [Number of lumbar spinal fusion \(excluding lumbar spinal decompression\) hospitalisations per 100,000 people, aged 18 years and over, 2012-13 to 2014-15 and 2015-16 to 2017-18](#)

[Australian Commission on Safety and Quality in Health Care, Standard 27/04/2021](#)