Palliative care phase code N



© Australian Institute of Health and Welfare 2024

This product, excluding the AlHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Palliative care phase code N

Identifying and definitional attributes

Metadata item type: Value Domain

METEOR identifier: 681032

Registration status: Independent Hospital Pricing Authority, Standard 18/01/2018

Health!, Standard 25/01/2018

Tasmanian Health, Standard 19/05/2020

Definition: A code set representing palliative care phases.

Representational attributes

Representation class: Code

Data type: Number

Format: N

Maximum character length: 1

	Value	Meaning
Permissible values:	1	Stable
	2	Unstable
	3	Deteriorating
	4	Terminal
Supplementary values:	9	Not stated/inadequately described

Collection and usage attributes

Guide for use:

The palliative care phase is the stage of the palliative care patient's illness.

CODE 1 Stable

Patient problems and symptoms are adequately controlled by an established plan of care and:

- further interventions to maintain symptom control and quality of life have been planned and
- family/carer situation is relatively stable and no new issues are apparent.

CODE 2 Unstable

An urgent change in the plan of emergency treatment is required because:

- the patient experiences a new problem that was not anticipated in the existing plan of care, and/or
- the patient experiences a rapid increase in the severity of a current problem; and/or
- the family/ carers circumstances change suddenly impacting on patient care.

CODE 3 Deteriorating

The care plan is addressing anticipated needs but requires periodic review because:

- the patient's overall functional status is declining and
- the patient experiences a gradual worsening of an existing problemand/or
- the patient experiences a new but anticipated problem and/or
- the family/carers experience gradual worsening distress that impacts on the patient care.

CODE 4 Terminal

Death is likely within days.

CODE 9 Not stated/inadequately described

The phase of the illness has not been reported.

Palliative care phases are not sequential and a patient may move back and forth between phases.

Source and reference attributes

Origin:

Palliative Care Outcomes Collaboration 2014. Palliative care outcomes collaboration: Clinical manual. Wollongong: University of Wollongong.

Relational attributes

Related metadata references:

Supersedes Palliative care phase code N

Independent Hospital Pricing Authority, Standard 03/11/2016

Data elements implementing this value domain:

Episode of admitted patient care—palliative care phase, code N Health!, Standard 25/01/2018

Independent Hospital Pricing Authority, Standard 01/01/2018

Tasmanian Health, Standard 19/05/2020