

Palliative care phase

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Palliative care phase

Identifying and definitional attributes

Metadata item type: Glossary Item

METEOR identifier: 681549

Registration status: [Independent Hospital Pricing Authority, Standard 01/01/2018 Health!](#), Standard 25/01/2018

Definition: The palliative care phase identifies a clinically meaningful period in a patient's condition. The palliative care phase is determined by a holistic clinical assessment which considers the needs of the patients and their family and carers.

An episode of admitted patient palliative care may comprise a single phase or multiple phases, depending on changes in the patient's condition. Phases are not sequential and a patient may move back and forth between phases within the one episode of admitted patient palliative care.

The palliative care phases are stable, unstable, deteriorating, terminal and bereavement.

Context: Palliative care phase is a common assessment measure recorded for episodes of admitted patient palliative care. Palliative care is care in which the clinical intent or treatment goal is primarily quality of life for a patient with an active, progressive disease with little or no prospect of cure. It is usually evidenced by an interdisciplinary assessment and/or management of the physical, psychological, emotional and spiritual needs of the patient; and a grief and bereavement support service for the patient and their carers/family.

Source and reference attributes

Submitting organisation: Independent Hospital Pricing Authority

Origin: Palliative Care Outcomes Collaboration 2014. Phase definitions. Wollongong: University of Wollongong.

Reference documents: Palliative Care Outcomes Collaboration 2014. Palliative care outcomes collaboration: Clinical manual. Wollongong: University of Wollongong.

Relational attributes

Related metadata references: Supersedes [Palliative care phase](#)
[Independent Hospital Pricing Authority, Standard 03/11/2016](#)

**Metadata items which use
this glossary item:**

[Admitted subacute and non-acute hospital care NBEDS 2018-19](#)
[Health!](#), Superseded 17/10/2018

[Admitted subacute and non-acute hospital care NBEDS 2019-20](#)
[Health!](#), Superseded 18/12/2019

[Admitted subacute and non-acute hospital care NBEDS 2020-21](#)
[Health!](#), Superseded 05/02/2021

[Admitted subacute and non-acute hospital care NBEDS 2021-22](#)
[Health!](#), Superseded 20/10/2021

[Admitted subacute and non-acute hospital care NBEDS 2022-23](#)
[Health!](#), Standard 20/10/2021

[Episode of admitted patient care—palliative care phase](#)
[Health!](#), Standard 25/01/2018
[Tasmanian Health](#), Standard 19/05/2020

[Episode of admitted patient care—palliative care phase end date](#)
[Health!](#), Standard 25/01/2018
[Tasmanian Health](#), Standard 06/05/2020

[Episode of admitted patient care—palliative care phase end date, DDMMYYYY](#)
[Health!](#), Standard 25/01/2018
[Tasmanian Health](#), Standard 06/05/2020

[Episode of admitted patient care—palliative care phase start date](#)
[Health!](#), Standard 25/01/2018
[Tasmanian Health](#), Standard 06/05/2020

[Episode of admitted patient care—palliative care phase start date, DDMMYYYY](#)
[Health!](#), Standard 25/01/2018
[Tasmanian Health](#), Standard 06/05/2020

[Episode of admitted patient care—palliative care phase, code N](#)
[Health!](#), Standard 25/01/2018
[Independent Hospital Pricing Authority](#), Standard 01/01/2018
[Tasmanian Health](#), Standard 19/05/2020

[Palliative Care and End-of-Life Care: PI 04-Proportion of unstable palliative care phases that last 3 days or less, 2021](#)
[Health!](#), Qualified 21/10/2021

[Palliative care phase end date](#)
[Health!](#), Standard 25/01/2018
[Tasmanian Health](#), Standard 06/05/2020

[Palliative care phase start date](#)
[Health!](#), Standard 25/01/2018
[Tasmanian Health](#), Standard 06/05/2020