Indigenous primary health care: PI24b-Proportion of regular clients with Type II diabetes whose blood pressure measurement result was less than or equal to 130/80 mmHg, 2018-2019



© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Indigenous primary health care: Pl24b-Proportion of regular clients with Type II diabetes whose blood pressure measurement result was less than or equal to 130/80 mmHg, 2018-2019

Identifying and definitional attributes

Metadata item type: Indicator Indicator type: Indicator

Short name: Pl24b-Proportion of regular clients with Type II diabetes whose blood pressure

measurement result was less than or equal to 130/80 mmHg, 2018-2019

METEOR identifier: 688024

Registration status: <u>Health!</u>, Superseded 16/01/2020

Indigenous, Superseded 14/07/2021

Description: Proportion of regular clients who are Indigenous, have Type II diabetes and whose

blood pressure measurement result, recorded within the previous 6 months, was

less than or equal to 130/80 mmHg.

Rationale: The blood pressure target for people with Type II diabetes is less than or equal to

130/80 mmHg. This level is shown to significantly decrease macrovascular (stroke, heart attack and heart failure) and microvascular (kidney disease, eye disease and

peripheral neuropathy) complications.

Indigenous primary health care key performance indicators 2018-2019

Health!, Superseded 16/01/2020 Indigenous, Superseded 14/07/2021

Collection and usage attributes

Computation description: Proportion of regular clients who are Indigenous, have Type II diabetes and whose

blood pressure measurement result, recorded within the previous 6 months, was

less than or equal to 130/80 mmHg.

'Regular client' refers to a client of an Australian Government Department of Healthfunded primary health-care service (that is required to report against the Indigenous primary health care key performance indicators) who has an active medical record; that is, a client who has attended the Department of Health-funded primary healthcare service at least 3 times in 2 years.

Exclude Type I diabetes, secondary diabetes, gestational diabetes mellitus (GDM), previous GDM, impaired fasting glucose, impaired glucose tolerance.

The client does not have a blood pressure measurement of less than or equal to 130/80 mmHg if either the systolic or diastolic reading is above the threshold (130 and 80 respectively).

In the general population, blood pressure over 140/90 mmHg is considered high. The blood pressure target for those with Type II diabetes is less than or equal to 130/80 mmHg as it is shown to significantly decrease macrovascular (stroke, heart attack and heart failure) and microvascular (kidney disease, eye disease and peripheral neuropathy) complications.

Presented as a percentage.

If the client has had more than one blood pressure measurement within the previous 6 months, only the most recently recorded result is included in this calculation.

Computation: (Numerator ÷ Denominator) x 100

Numerator:

Number of regular clients who are Indigenous, have Type II diabetes and whose blood pressure measurement result, recorded within the previous 6 months, was less than or equal to 130/80 mmHg.

Numerator data elements:

Data Element / Data Set-

Person—diabetes mellitus status, code NN

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2018-19

Guide for use

Type II diabetes only

Data Element / Data Set-

Person—blood pressure measurement result less than or equal to 130/80 mmHg indicator, yes/no code N

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2018-19

Guide for use

Response to this is conditional on responding 'yes' to having had a blood pressure measurement result recorded in the previous 6 months.

Data Element / Data Set

Person—Indigenous status, code N

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2018–19

Data Element / Data Set-

Person—regular client indicator, yes/no code N

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2018-19

Denominator:

Total number of regular clients who are Indigenous, have Type II diabetes and had a blood pressure measurement result recorded within the previous 6 months.

Denominator data elements:

-Data Element / Data Set-

Person—diabetes mellitus status, code NN

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2018-19

Guide for use

Type II diabetes only.

Data Element / Data Set-

Person—blood pressure measurement result recorded indicator, yes/no code N

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2018-19

Data Element / Data Set-

Person—Indigenous status, code N

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2018–19

Data Element / Data Set-

Person—regular client indicator, yes/no code N

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2018–19

Disaggregation: 1. Sex:

a) Male

b) Female

2. Age group:

a) 0-4 years

b) 5-14 years

c) 15–24 years d) 25–34 years

e) 35-44 years

f) 45-54 years

g) 55-64 years

h) 65 years and over

Disaggregation data elements:

Data Element / Data Set-

Person—age, total years N[NN]

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2018-19

Data Element / Data Set-

Person—sex, code X

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2018-19

Representational attributes

Representation class: Percentage

Data type: Real

Unit of measure: Person
Format: N[N].N

Indicator conceptual framework

Framework and dimensions:

Effective/Appropriate/Efficient

Data source attributes

Data sources: Data Source

Indigenous primary health care data collection

Frequency

6 monthly

Data custodian

Australian Institute of Health and Welfare.

Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare

Australian Government Department of Health

Relational attributes

Related metadata references:

Supersedes <u>Indigenous primary health care: Pl24b-Proportion of regular clients</u> <u>with Type II diabetes whose blood pressure measurement result was less than or</u> equal to 130/80 mmHq, 2015-2017

Health!, Superseded 17/10/2018 Indigenous, Superseded 17/10/2018

Has been superseded by <u>Indigenous primary health care: PI24b-Proportion of</u> regular clients with Type II diabetes whose blood pressure measurement result was <u>less than or equal to 130/80 mmHg, June 2020</u>

Health!, Retired 13/10/2021 Indigenous, Superseded 14/07/2021

See also Indigenous primary health care: PI24a-Number of regular clients with Type II diabetes whose blood pressure measurement result was less than or equal to 130/80 mmHq, 2018-2019

Health!, Superseded 16/01/2020 Indigenous, Superseded 14/07/2021