National Core Maternity Indicators: Pl 01–Tobacco



© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

National Core Maternity Indicators: PI 01–Tobacco smoking in pregnancy for all females giving birth, 2018

Identifying and definitional attributes

Metadata item type: Indicator Indicator type: Indicator

Common name: Tobacco smoking in pregnancy

Short name: PI 01–Tobacco smoking in pregnancy for all females giving birth, 2018

METEOR identifier: 690056

Registration status: Health!, Superseded 19/06/2019

Description: Among all females who gave birth, the proportion who (a) reported smoking

tobacco in the first 20 weeks of pregnancy, and (b) reported smoking tobacco after

the first 20 weeks of pregnancy and reported smoking at any time during

pregnancy.

Rationale: This outcome indicator is used to monitor public health.

Indicator set: National Core Maternity Indicators, 2018

Health!, Superseded 19/06/2019

Collection and usage attributes

Computation description: (a) The number of females who gave birth and reported smoking in the first 20

weeks of pregnancy, divided by the total number of females who have gave birth,

and multiplied by 100.

(b) The number of females who gave birth and reported smoking after the first 20 weeks of pregnancy, divided by the total number of females who have gave birth

and reported smoking during pregnancy, and multiplied by 100.

A birth is defined as an event in which a baby comes out of the uterus after a pregnancy of at least 20 weeks gestation or weighing 400 grams or more.

Smoking refers to the use of cigarettes or inhaled tobacco.

Computation: 100 × (Numerator ÷ Denominator)

Numerator: (a) The number of females who gave birth and reported smoking tobacco in the first

20 weeks of pregnancy.

(b) The number of females who gave birth and reported smoking tobacco after the

first 20 weeks of pregnancy.

Numerator data elements:

Data Element / Data Set

Birth event—birth method, code N

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set-

Female (pregnant)—tobacco smoking indicator (first twenty weeks of pregnancy), yes/no code N

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set-

Female (pregnant)—tobacco smoking indicator (after twenty weeks of pregnancy), yes/no code N

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

Denominator:

- (a) The total number of females who gave birth with a stated smoking status.
- (b) The total number of females who gave birth and reported smoking at any time during pregnancy.

Denominator data elements:

Data Element / Data Set

Smoking status during pregnancy

Data Source

AlHW National Perinatal Data Collection (NPDC)

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set-

Birth event—birth method, code N

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

Disaggregation:

- · Year of birth
- · State or territory of birth
- · Mother's age at birth
- · Hospital annual number of births
- · Hospital sector
- Indigenous status of mother
- Remoteness category (from mother's area of usual residence)
- Disadvantage quintile (from mother's area of usual residence)
- Primary Health Network (from mother's area of usual residence)
- Statistical local area 3 (from mother's area of usual residence)

Disaggregation data elements:

Data Element / Data Set-

Hospital annual number of births

Data Source

AlHW National Perinatal Data Collection (NPDC)

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set-

Hospital sector

Data Source

AlHW National Perinatal Data Collection (NPDC)

Data Element / Data Set-

Birth event—state/territory of birth, code N

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set-

Person—date of birth, DDMMYYYY

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set-

Person—Indigenous status, code N

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set-

Person—area of usual residence, statistical area level 2 (SA2) code (ASGS 2016) N(9)

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

Comments:

Data elements are from the Perinatal National Minimum Data Set (NMDS) or have been provided as voluntary non-standardised items by the states and territories. Records with data that are missing, not stated or not interpretable have been excluded from the denominator.

Standardised data collection for smoking in pregnancy commenced for births from July 2010. This will enable reporting against parts (a) among all females who gave birth the proportion who reported smoking tobacco in the first 20 weeks of pregnancy, and (b) among all females who gave birth the proportion who reported smoking after 20 weeks of pregnancy and reported smoking at any time during pregnancy.

National Perinatal Data Collection (NPDC) data on smoking status and/or smoking quantity (number of cigarettes smoked) have been collected from New South Wales, Queensland, South Australia and Australian Capital Territory since 2001, and progressively from all other jurisdictions.

Representational attributes

Representation class: Percentage

Data type:RealUnit of measure:PersonFormat:N[NN.N]

Data source attributes

Data sources: — Data Source

AlHW National Perinatal Data Collection (NPDC)

Frequency

Calendar years ending 31 December each year

Data custodian

Australian Institute of Health and Welfare

Data Source

Perinatal National Minimum Data Set (NMDS)

Frequency

Annual

Data custodian

Australian Institute of Health and Welfare

Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare

Reference documents: WHA (Women's Healthcare Australasia) 2007. Supporting excellence in maternity

care: the core maternity indicators project: findings from the core maternity

indicators project. Canberra: WHA.

Relational attributes

Related metadata references:

Supersedes <u>National Core Maternity Indicators: PI 01—Tobacco smoking in pregnancy for all women giving birth (2016)</u>

Health!, Superseded 06/09/2018

Has been superseded by <u>National Core Maternity Indicators: PI 01–Tobaccosmoking in pregnancy for all females giving birth, 2019</u>

Health!, Superseded 16/09/2020