Female—alcohol consumption frequency after 20 weeks of pregnancy, code N

Exported from METEOR (AIHW's Metadata Online Registry)		
© Australian Institute of Health and Welfare 2024		
This product, excluding the AlHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have		

made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Female—alcohol consumption frequency after 20 weeks of pregnancy, code N

Identifying and definitional attributes

Metadata item type: Data Element

Short name: Alcohol consumption frequency after 20 weeks of pregnancy

METEOR identifier: 691060

Registration status: Health!, Standard 12/12/2018

Definition: The frequency of alcohol consumption by a female after 20 weeks of pregnancy

until the birth, as represented by a code.

Context: Perinatal

Data Element Concept: Female—alcohol consumption frequency after 20 weeks of pregnancy

Value Domain: Alcohol consumption frequency code N

Value

Value domain attributes

Representational attributes

Representation class: Code

Data type: Number

Format: N

Maximum character length: 1

		9
Permissible values:	0	Never
	1	Monthly or less
	2	2–4 times a month
	3	2–3 times a week
	4	4 or more times a week

Supplementary values: 9 Not stated/inadequately described

Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare

Origin: Dawson D, Grant B, Stinson F & Zhou Y 2005. Effectiveness of the derived Alcohol

Meaning

Use Disorders Identification Test (AUDIT-C) in screening for alcohol use disorders and risk drinking in the US general population. Alcohol Clinical and Experimental

Research 29(5): 844-854.

Data element attributes

Collection and usage attributes

Guide for use: CODE 0 Never

Record if a female did not consume alcohol after 20 weeks of pregnancy until the

birth.

CODE 1 Monthly or less

Record if a female consumed alcohol monthly or less after 20 weeks of pregnancy

until the birth.

CODE 2 2-4 times a month

Record if a female consumed alcohol 2 to 4 times a month after 20 weeks of

pregnancy until the birth.

CODE 3 2-3 times a week

Record if a female consumed alcohol 2 to 3 times a week after 20 weeks of

pregnancy until the birth.

CODE 4 4 or more times a week

Record if a female consumed alcohol 4 or more times a week after 20 weeks of

pregnancy until the birth.

CODE 9 Not stated/inadequately described

This code is not for use in primary data collections.

Collection methods: This data element is self-reported.

Recommended question: 'How often did you have a drink containing alcohol after

the first 20 weeks of pregnancy?', where after 20 weeks of pregnancy is defined as

more than or equal to 20 weeks + 0 days.

To ensure consistency of results, this data element should be collected after the

birth.

Source and reference attributes

Submitting organisation: National Perinatal Data Development Committee

Relational attributes

Related metadata references:

See also Female—alcohol consumption after 20 weeks of pregnancy indicator,

yes/no/not stated/inadequately described code N

Health!, Standard 12/12/2018

See also Female—alcohol consumption frequency in the first 20 weeks of

pregnancy, code N

Health!, Standard 12/12/2018

See also Female—number of standard drinks consumed when drinking alcohol

after 20 weeks of pregnancy, total N[NN] Health!, Standard 12/12/2018

Implementation in Data Set Perinatal NBEDS 2019–20 **Specifications:**

Health!, Superseded 20/11/2019 Implementation start date: 01/07/2019 Implementation end date: 30/06/2020

Conditional obligation:

This data element is only to be recorded if the response to the Female—alcohol consumption after 20 weeks of pregnancy indicator, yes/no/not stated/inadequately described code N data element is Code 1 (Yes).

Perinatal NBEDS 2020–21

Health!, Superseded 03/12/2020 Implementation start date: 01/07/2020 Implementation end date: 30/06/2021 Conditional obligation:

This data element is only to be recorded if the response to the Female—alcohol consumption after 20 weeks of pregnancy indicator, yes/no/not stated/inadequately described code N data element is Code 1 (Yes).

Perinatal NBEDS 2021-22

Health!, Superseded 17/12/2021 Implementation start date: 01/07/2021 Implementation end date: 30/06/2022

Conditional obligation:

This data element is only to be recorded if the response to the Female—alcohol consumption after 20 weeks of pregnancy indicator, yes/no/not stated/inadequately described code N data element is Code 1 (Yes).

DSS specific information:

This data element is recorded for the mother only.

Perinatal NBEDS 2022–23

Health!, Standard 17/12/2021

Implementation start date: 01/07/2022 Implementation end date: 30/06/2023

Conditional obligation:

This data element is only to be recorded if the response to the Female—alcohol consumption after 20 weeks of pregnancy indicator, yes/no/not stated/inadequately described code N data element is Code 1 (Yes).

DSS specific information:

This data element is recorded for the mother only.