Colonoscopy clinical care standard indicators: 3-Proportion of patients who had a colonoscopy that



Exported from METEOR (AIHW's Metadata Online Registry)

© Australian	Institute	of Health	and \	Velfare	2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Colonoscopy clinical care standard indicators: 3-Proportion of patients who had a colonoscopy that detected one or more adenoma(s)

Identifying and definitional attributes

Metadata item type: Indicator Indicator type: Indicator

Short name: 3-Proportion of patients who had a colonoscopy that detected one or more

adenoma(s)

METEOR identifier: 691715

Registration status: Australian Commission on Safety and Quality in Health Care, Standard 11/09/2018

Health!, Standard 26/03/2019

Description: Proportion of patients undergoing a colonoscopy who have at least one adenoma

is detected.

Indicator set: Clinical care standard indicators: colonoscopy

Australian Commission on Safety and Quality in Health Care, Standard

11/09/2018

Health!, Standard 26/03/2019

Collection and usage attributes

Population group age

from:

50 years or older

Computation description: For the patient to be counted in the numerator, at least one adenoma must be

histologically confirmed.

Both the numerator and denominator only include patients with an intact colon. Both

the numerator and denominator exclude patients with a finding of acute

inflammatory bowel disease.

Presented as a percentage.

Computation: (Numerator ÷ Denominator) x 100

Numerator: The number of patients undergoing a colonoscopy with at least one adenoma

detected.

Denominator: The number of patients undergoing a colonoscopy.

Representational attributes

Representation class: Percentage

Data type: Real

Unit of measure: Service event

Format: N[NN]

Source and reference attributes

Submitting organisation: Australian Commission on Safety and Quality in Health Care

Relational attributes

Related metadata

Has been superseded by Colonoscopy clinical care standard indicators: 3references: Proportion of patients who had a colonoscopy that detected one or more

adenoma(s)

Health!, Qualified 19/09/2019