

# Perinatal NBEDS 2019–20

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Perinatal NBEDS 2019–20

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
-	<a href="#">Perinatal NMDS 2019–20</a>	694988		
-	<a href="#">Actual place of birth</a>	695103	Number [1]	1 Hospital, excluding birth centre 2 Birth centre, attached to hospital 3 Birth centre, free standing 4 Home 8 Other 9 Not stated/inadequately described
-	<a href="#">Anaesthesia administered indicator</a>	695188	Number [1]	1 Yes 2 No 9 Not stated/inadequately described
-	<a href="#">Analgesia administered indicator</a>	695200	Number [1]	1 Yes 2 No 9 Not stated/inadequately described
-	<a href="#">Method of birth</a>	695372	Number [1]	1 Vaginal—non-instrumental 2 Vaginal—forceps 4 Caesarean section 5 Vaginal—vacuum extraction 9 Not stated/inadequately described
-	<a href="#">Presentation at birth</a>	695418	Number [1]	1 Vertex 2 Breech 3 Face 4 Brow 8 Other 9 Not stated/inadequately described
-	<a href="#">Labour induction method</a>	695355	Number [2]	1 Oxytocin 2 Prostaglandins 3 Artificial rupture of membranes (ARM) 6 Mechanical cervical dilatation 7 Antiprogesterone 88 Other 99 Not stated/inadequately described
-	<a href="#">Labour onset type</a>	695339	Number [1]	1 Spontaneous 2 Induced 3 No labour 9 Not stated/inadequately described

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
-	<a href="#">State/territory of birth</a>	695424	Number [1]	1 New South Wales 2 Victoria 3 Queensland 4 South Australia 5 Western Australia 6 Tasmania 7 Northern Territory 8 Australian Capital Territory 9 Other territories (Cocos (Keeling) Islands, Christmas Island and Jervis Bay Territory)
-	<a href="#">Type of anaesthesia administered during a birth event</a>	695530	Number [2]	2 Local anaesthetic to perineum 3 Pudendal block 4 Epidural or caudal block 5 Spinal block 6 General anaesthesia 7 Combined spinal-epidural block 88 Other anaesthesia 99 Not stated/inadequately described
-	<a href="#">Type of analgesia administered during a birth event</a>	695545	Number [2]	2 Nitrous oxide 4 Epidural or caudal block 5 Spinal block 6 Systemic opioids 7 Combined spinal-epidural block 88 Other analgesia 99 Not stated/inadequately described
-	<a href="#">Separation date</a>	270025	Date/Time [8]	DDMMYYYY The day of a particular month and year.
-	<a href="#">Establishment identifier</a>	269973	String [9]	NNX[X]NNNNN A combination of numeric and alphanumeric characters that identify an entity.
-	<a href="#">Caesarean section at most recent previous birth indicator</a>	695328	Number [1]	1 Yes 2 No 7 Not applicable 9 Not stated/inadequately described
-	<a href="#">Antenatal care visits</a>	695227	Number [2]	99 Not stated/inadequately described

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
-	<a href="#">Number of tobacco cigarettes smoked per day after 20 weeks of pregnancy</a>	695382	Number [3]	998 Occasional smoking (less than one) 999 Not stated/inadequately described
-	<a href="#">Parity</a>	696262	Number [2]	99 Not stated
-	<a href="#">Postpartum perineal status</a>	695391	Number [2]	1 Intact 2 1st degree laceration/vaginal graze 3 2nd degree laceration 4 3rd degree laceration 5 Episiotomy 7 4th degree laceration 88 Other perineal laceration, rupture or tear 99 Not stated/inadequately described
-	<a href="#">Tobacco smoking after 20 weeks of pregnancy indicator</a>	695447	Number [1]	1 Yes 2 No 9 Not stated/inadequately described
-	<a href="#">Tobacco smoking in the first 20 weeks of pregnancy indicator</a>	695487	Number [1]	1 Yes 2 No 9 Not stated/inadequately described
-	<a href="#">Area of usual residence (SA2)</a>	659725	String [9]	N(9) A code set representing a medium-sized general purpose area aggregated from whole Statistical areas level 1 (SA1s).
-	<a href="#">Country of birth</a>	659454	Number [4]	NNNN The Standard Australian Classification of Countries (SACC 2016) code set representing a country.
-	<a href="#">Date of birth</a>	287007	Date/Time [8]	DDMMYYYY The day of a particular month and year.
-	<a href="#">Indigenous status</a>	602543	Number [1]	1 Aboriginal but not Torres Strait Islander origin 2 Torres Strait Islander but not Aboriginal origin 3 Both Aboriginal and Torres Strait Islander origin 4 Neither Aboriginal nor Torres Strait Islander origin 9 Not stated/inadequately described
-	<a href="#">Person identifier</a>	290046	String [20]	XXXXXX[X(14)] A logical combination of valid alphanumeric characters that identify an entity.

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning	
-	<a href="#">Sex</a>	635126	String [1]	1 2 3 9	Male Female Other Not stated/inadequately described
-	<a href="#">Birth plurality</a>	695308	Number [1]	1 2 3 4 5 6 8 9	Singleton Twins Triplets Quadruplets Quintuplets Sextuplets Other Not stated/inadequately described
-	<a href="#">Pregnancy duration at the first antenatal care visit</a>	695410	Number [2]	99	Not stated/unknown
-	<a href="#">Active resuscitation of baby indicator</a>	695556	Number [1]	1 2 9	Yes No Not stated/inadequately described
-	<a href="#">Active resuscitation of baby method</a>	695568	Number [2]	2 3 7 8 10 11 88 99	Suction Oxygen therapy Intermittent positive pressure ventilation (IPPV) Continuous positive airway pressure (CPAP) ventilation Intubation External cardiac compressions Other Not stated/inadequately described
-	<a href="#">Apgar score at 5 minutes</a>	695281	String [2]	00-10 99	Apgar score Not stated/inadequately described
-	<a href="#">Birth order</a>	695293	Number [1]	1 2 3 4 5 6 8 9	Singleton or first of a multiple birth Second of a multiple birth Third of a multiple birth Fourth of a multiple birth Fifth of a multiple birth Sixth of a multiple birth Other Not stated/inadequately described
-	<a href="#">Status of the baby</a>	695437	Number [1]	1 2 9	Live birth Stillbirth (fetal death) Not stated/inadequately described
-	<a href="#">Birthweight of baby</a>	695317	Number [4]	9999	Not stated/inadequately described

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
-	<a href="#">Gestational age</a>	695332	Number [2]	99 Not stated/unknown
-	<a href="#">Additional indication for caesarean section</a>	695691	Number [2]	1 Fetal compromise 2 Suspected fetal macrosomia 3 Malpresentation 10 Lack of progress; less than or equal to 3 cm cervical dilatation 11 Lack of progress in the first stage; greater than 3 cm to less than 10 cm cervical dilatation 12 Lack of progress in the second stage 13 Placenta praevia 14 Placental abruption 15 Vasa praevia 16 Antepartum/intrapartum haemorrhage 17 Multiple pregnancy 18 Unsuccessful attempt at assisted delivery 19 Cord prolapse 20 Previous adverse perinatal outcome 21 Previous caesarean section 22 Previous severe perineal trauma 23 Previous shoulder dystocia 29 Other obstetric, medical, surgical, psychological indications 30 Maternal choice in the absence of any obstetric, medical, surgical, psychological indications 99 Not stated/inadequately described

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
-	<a href="#">Additional indication for induction of labour</a>	695711	Number [2]	1 Prolonged pregnancy 2 Prelabour rupture of membranes 3 Diabetes 4 Hypertensive disorders 5 Multiple pregnancy 6 Chorioamnionitis (includes suspected) 7 Cholestasis of pregnancy 8 Antepartum haemorrhage 9 Maternal age 10 Body Mass Index (BMI) 11 Maternal mental health indication 12 Previous adverse perinatal outcome 19 Other maternal obstetric or medical indication 20 Fetal compromise (includes suspected) 21 Fetal growth restriction (includes suspected) 22 Fetal macrosomia (includes suspected) 23 Fetal death 24 Fetal congenital anomaly 80 Administrative or geographical indication 81 Maternal choice in the absence of any obstetric, medical, fetal, administrative or geographical indication 89 Other indication not elsewhere classified 99 Not stated/inadequately described



Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
-	<a href="#">Main indication for caesarean section</a>	695698	Number [2]	1 Fetal compromise 2 Suspected fetal macrosomia 3 Malpresentation 10 Lack of progress; less than or equal to 3 cm cervical dilatation 11 Lack of progress in the first stage; greater than 3 cm to less than 10 cm cervical dilatation 12 Lack of progress in the second stage 13 Placenta praevia 14 Placental abruption 15 Vasa praevia 16 Antepartum/intrapartum haemorrhage 17 Multiple pregnancy 18 Unsuccessful attempt at assisted delivery 19 Cord prolapse 20 Previous adverse perinatal outcome 21 Previous caesarean section 22 Previous severe perineal trauma 23 Previous shoulder dystocia 29 Other obstetric, medical, surgical, psychological indications 30 Maternal choice in the absence of any obstetric, medical, surgical, psychological indications 99 Not stated/inadequately described

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
-	<a href="#">Main indication for induction of labour</a>	695720	Number [2]	1 Prolonged pregnancy 2 Prelabour rupture of membranes 3 Diabetes 4 Hypertensive disorders 5 Multiple pregnancy 6 Chorioamnionitis (includes suspected) 7 Cholestasis of pregnancy 8 Antepartum haemorrhage 9 Maternal age 10 Body Mass Index (BMI) 11 Maternal mental health indication 12 Previous adverse perinatal outcome 19 Other maternal obstetric or medical indication 20 Fetal compromise (includes suspected) 21 Fetal growth restriction (includes suspected) 22 Fetal macrosomia (includes suspected) 23 Fetal death 24 Fetal congenital anomaly 80 Administrative or geographical indication 81 Maternal choice in the absence of any obstetric, medical, fetal, administrative or geographical indication 89 Other indication not elsewhere classified 99 Not stated/inadequately described
-	<a href="#">Alcohol consumption after 20 weeks of pregnancy indicator</a>	690739	Number [1]	1 Yes 2 No 9 Not stated/inadequately described
-	<a href="#">Alcohol consumption frequency after 20 weeks of pregnancy</a>	691060	Number [1]	0 Never 1 Monthly or less 2 2–4 times a month 3 2–3 times a week 4 4 or more times a week 9 Not stated/inadequately described
-	<a href="#">Alcohol consumption frequency in first 20 weeks of pregnancy</a>	691052	Number [1]	0 Never 1 Monthly or less 2 2–4 times a month 3 2–3 times a week 4 4 or more times a week 9 Not stated/inadequately described

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
-	<a href="#">Alcohol consumption in the first 20 weeks of pregnancy indicator</a>	690482	Number [1]	1 Yes 2 No 9 Not stated/inadequately described
-	<a href="#">Blood transfusion for primary postpartum haemorrhage</a>	673477	Number [1]	1 Yes 2 No 9 Not stated/inadequately described
-	<a href="#">Diabetes during pregnancy</a>	673501	Number [1]	1 Yes 2 No 9 Not stated/inadequately described
-	<a href="#">Primary postpartum haemorrhage blood loss</a>	655567	Number [1]	1 500–999 ml 2 1000–1499 ml 3 1500 ml or more 9 Not stated/inadequately described
-	<a href="#">Hypertension during pregnancy</a>	673583	Number [1]	1 Yes 2 No 9 Not stated/inadequately described
-	<a href="#">Number of standard drinks consumed when drinking alcohol after 20 weeks of pregnancy</a>	691039	Number [3]	998 Occasional drinking (less than one) 999 Not stated/inadequately described
-	<a href="#">Number of standard drinks consumed when drinking alcohol in the first 20 weeks of pregnancy</a>	690993	Number [3]	998 Occasional drinking (less than one) 999 Not stated/inadequately described
-	<a href="#">Primary postpartum haemorrhage indicator</a>	673595	Number [1]	1 Yes 2 No 9 Not stated/inadequately described
-	<a href="#">Diabetes mellitus type during pregnancy</a>	668889	Number [1]	1 Pre-existing Type 1 diabetes 2 Pre-existing Type 2 diabetes 3 Gestational diabetes mellitus (GDM) 8 Other type of diabetes mellitus 9 Not stated/inadequately described
-	<a href="#">Diabetes therapy type during pregnancy</a>	695736	Number [1]	1 Insulin 2 Oral hypoglycaemic 3 Diet and exercise 9 Not stated/inadequately described
-	<a href="#">Hypertension type during pregnancy</a>	695743	Number [1]	1 Eclampsia 2 Preeclampsia 3 Gestational hypertension 4 Chronic hypertension 9 Not stated/inadequately described

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning	
-	<a href="#">Height (measured)</a>	270361	Number [4]	999.9	Not measured
-	<a href="#">Height (self-reported)</a>	270365	Number [3]	888 999	Unknown Not stated/inadequately described
-	<a href="#">Weight in kilograms (measured)</a>	702085	Number [4]	999.9	Not collected
-	<a href="#">Weight (self-reported)</a>	302365	Number [3]	888 999	Unknown Not stated
-	<a href="#">Baby head circumference</a>	695727	Number [4]	999.9	Not measured