# Person—alcohol consumption amount, total standard drinks N[N]

arinks in[in]
Exported from METEOR (AIHW's Metadata Online Registry)
© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

## Person—alcohol consumption amount, total standard drinks N[N]

#### Identifying and definitional attributes

Metadata item type: Data Element

**Short name:** Alcohol consumption in standard drinks per day

METEOR identifier: 696835

**Registration status:** Health!, Qualified 30/05/2018

**Definition:** The total number of standard drinks consumed by a person on a typical day when

drinking.

#### Data element concept attributes

#### Identifying and definitional attributes

Data element concept: Person—alcohol consumption amount

METEOR identifier: 269833

Registration status: Health!, Standard 01/03/2005

**Definition:** The ethyl alcohol (ethanol) consumed by a person in alcoholic beverages such as

beer, cider, wine, spirits and mixed drinks.

**Context:** Public health, health care and clinical settings.

Object class: Person

Property: Alcohol consumption amount

#### Value domain attributes

#### Identifying and definitional attributes

Value domain: Total standard drinks N[N]

METEOR identifier: 696832

Registration status: Health!, Qualified 30/05/2018

Definition: Total number of standard drinks.

#### Representational attributes

Representation class: Total

Data type: Number

Format: N[N]

Maximum character length: 2

Value Meaning

**Supplementary values:** 9 Unknown

Unit of measure: Standard drink

#### Collection and usage attributes

Guide for use: For use in Prisoner health data collections. If this value domain is used with other

metadata 'Unknown' would be mapped to code 8.

Alcohol consumption is usually measured in standard drinks.

An Australian standard drink contains 10 grams of alcohol, which is equivalent to 12.5 millilitres of alcohol. The numbers of Australian standard drinks in common containers of various alcoholic beverages is presented in the National Health and

Medical Research Council (NHMRC) 2009 guidelines.

#### Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare

Reference documents: NHMRC (National Health and Medical Research Council) 2009. Australian

guidelines to reduce health risks from drinking alcohol. Canberra: NHMRC. Viewed

3 May 2018, <a href="https://www.nhmrc.gov.au/files\_nhmrc/">https://www.nhmrc.gov.au/files\_nhmrc/</a>

publications/attachments/ds10-alcohol.pdf

#### Data element attributes

#### Collection and usage attributes

**Guide for use:** This estimation is based on the person's description of the type (spirits, beer, wine,

other) and number of standard drinks, as defined by the National Health and Medical Research Council (NH&MRC), consumed per day. One standard drink

contains 10 grams of alcohol.

When calculating consumption in standard drinks per day, the total should be reported with part drinks recorded to the next whole standard drink (e.g. 2.4 = 3).

Collection methods: The World Health Organisation's 2000 International Guide for Monitoring Alcohol

Consumption and Related Harm document suggests that in assessing alcohol consumption patterns a 'Graduated Quantity Frequency' method is preferred. This method requires that questions about the quantity and frequency of alcohol consumption should be asked to help determine short-term and long-term health

consequences.

#### Source and reference attributes

**Submitting organisation:** Cardiovascular Data Working Group

**Origin:** The World Health Organisation's 2000 International Guide for Monitoring Alcohol

Consumption and Related Harm document -National Health and Medical Research

Council's Australian Alcohol Guidelines, October 2001.

#### Relational attributes

Related metadata references:

Supersedes Person—alcohol consumption amount (self-reported), total standard

drinks NN

Health!, Superseded 17/10/2018

See also Person—alcohol consumption frequency, AUDIT frequency alcohol

consumption code N

Health!, Qualified 30/05/2018

See also Person—consumption of 6 or more standard drinks on one occasion,

AUDIT consuming 6 or more standard drinks code N

Health!, Qualified 30/05/2018

### **Specifications:**

#### Implementation in Data Set AUDIT score for risky alcohol consumption cluster Health!, Recorded 31/05/2018

#### Conditional obligation:

Conditional on the person having had an alcoholic drink in the last 12 months.

#### DSS specific information:

This data element refers to prison entrants only.

The number of standard drinks reported will be mapped as follows:

Code	Number of standard drinks
0	1 or 2
1	3 or 4
2	5 or 6
3	7 to 9
4	10 or more
9	Unknown

#### AUDIT-C score of risky alcohol consumption cluster (dischargee)

Health!, Qualified 30/05/2018

#### Conditional obligation:

Conditional on the person having had an alcoholic drink prior to their current incarceration.

#### DSS specific information:

This data element refers to prison dischargees only.

The number of standard drinks reported will be mapped as follows:

Code	Number of standard drinks
0	1 or 2
1	3 or 4
2	5 or 6
3	7 to 9
4	10 or more
9	Unknown