

Colonoscopy

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Colonoscopy

Identifying and definitional attributes

Metadata item type:	Glossary Item
Synonymous names:	Flexible sigmoidoscopy
METEOR identifier:	697166
Registration status:	Australian Commission on Safety and Quality in Health Care, Standard 11/09/2018
Definition:	An examination of the entire large bowel using a camera on a flexible tube, which is passed through the anus (CCA 2017).

Source and reference attributes

Submitting organisation:	Australian Commission on Safety and Quality in Health Care
Reference documents:	CCA (Cancer Council Australia) 2017. Clinical practice guidelines for the prevention, early detection and management of colorectal cancer. Sydney: CCA. Viewed 15 May 2018, http://wiki.cancer.org.au/australia/Guidelines:Colorectal_cancer .

Relational attributes

**Metadata items which use
this glossary item:**

[Clinical care standard indicators: colonoscopy](#)

[Health!](#), Qualified 19/09/2019

[Clinical care standard indicators: colonoscopy](#)

[Australian Commission on Safety and Quality in Health Care](#), Standard
11/09/2018

[Health!](#), Standard 26/03/2019

[Colonoscopy clinical care standard indicators: 1-Proportion of patients scheduled
for a colonoscopy whose bowel preparation was adequate](#)

[Health!](#), Qualified 19/09/2019

[Colonoscopy clinical care standard indicators: 1-Proportion of patients scheduled
for a colonoscopy whose bowel preparation was adequate](#)

[Australian Commission on Safety and Quality in Health Care](#), Standard
11/09/2018

[Health!](#), Standard 26/03/2019

[Colonoscopy clinical care standard indicators: 2-Proportion of patients undergoing
a colonoscopy who have their entire colon examined](#)

[Health!](#), Qualified 19/09/2019

[Colonoscopy clinical care standard indicators: 2-Proportion of patients undergoing
a colonoscopy who have their entire colon examined](#)

[Australian Commission on Safety and Quality in Health Care](#), Standard
11/09/2018

[Health!](#), Standard 26/03/2019

[Colonoscopy clinical care standard indicators: 3-Proportion of patients who had a
colonoscopy that detected one or more adenoma\(s\)](#)

[Health!](#), Qualified 19/09/2019

[Colonoscopy clinical care standard indicators: 3-Proportion of patients who had a
colonoscopy that detected one or more adenoma\(s\)](#)

[Australian Commission on Safety and Quality in Health Care](#), Standard
11/09/2018

[Health!](#), Standard 26/03/2019

[Colonoscopy clinical care standard indicators: 4-Proportion of patients who had a
colonoscopy that detected one or more sessile serrated adenoma\(s\) or sessile
serrated polyp\(s\)](#)

[Health!](#), Qualified 19/09/2019

[Colonoscopy clinical care standard indicators: 4-Proportion of patients who had a
colonoscopy that detected one or more sessile serrated adenoma\(s\) or sessile
serrated polyp\(s\)](#)

[Australian Commission on Safety and Quality in Health Care](#), Standard
26/06/2019