National Healthcare Agreement: PI 01–Proportion of babies born of low birth weight, 2019

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY4.0 (CC BY4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

National Healthcare Agreement: PI 01–Proportion of babies born of low birth weight, 2019

Identifying and definitional attributes

Metadata item type:	Indicator
Indicator type:	Progress measure
Short name:	PI01–Proportion of babies born of low birth weight, 2019
METEOR identifier:	698938
Registration status:	Health!, Superseded 13/03/2020
Description:	The incidence of low birthweight among live born singleton babies.
Indicator set:	National Healthcare Agreement (2019) Health!, Superseded 13/03/2020
Outcome area:	Prevention <u>Health!</u> , Standard 07/07/2010

Collection and usage attributes

Computation description:	Low birthweight is defined as less than 2,500 grams.
	Excludes multiple births, stillbirths and births of less than 20 weeks gestation.
	Analysis by state/territory, remoteness and Socio-Economic Indexes for Areas (SEIFA) Index of Relative Socio-Economic Disadvantage (IRSD) is based on the usual residence of the mother.
	Data excludes Australian non-residents, residents of external territories and records where state/territory of usual residence was not stated.
	Variability bands are to be calculated for single-year and aggregate years using the standard method (see definition under <i>Computation</i>).
	Presented as a:
	number, andpercentage.
Computation:	100 × (Numerator ÷ Denominator)
	Variability bands: to be calculated using the standard method for estimating 95% confidence intervals as follows:
	CI (CR) _{95%} = CR ± 100 × 1.96 × √[((CR/100) × (1 – (CR/100)))/n]
	Where n=number of live born singleton babies.
	CI = confidence interval
	CR = crude rate (expressed as a percentage)
Numerator:	Number of low birthweight live born singleton babies.
Numerator data elements:	Data Element / Data Set
	Birth—birth weight, total grams NNNN
	Data Source
	AIHW National Perinatal Data Collection (NPDC)
	NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

- Data Element / Data Set-

Birth-birth status, code N

Data Source

AlHW National Perinatal Data Collection (NPDC)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

– Data Element / Data Set–

Product of conception-gestational age, completed weeks N[N]

Data Source

AlHW National Perinatal Data Collection (NPDC)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

-Data Element / Data Set-

Birth event—birth plurality, code N

Data Source

AlHW National Perinatal Data Collection (NPDC)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

Denominator:

Number of live born singleton babies.

Denominator data elements:

-Data Element / Data Set-

Birth-birth status, code N

Data Source

AlHW National Perinatal Data Collection (NPDC)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

– Data Element / Data Set-

Product of conception-gestational age, completed weeks N[N]

Data Source

AlHW National Perinatal Data Collection (NPDC)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

-Data Element / Data Set-

Birth event-birth plurality, code N

Data Source

AlHW National Perinatal Data Collection (NPDC)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

Disaggregation: 2016—Nationally, by (all not reported): • remoteness (Australian Statistical Geography Standard (ASGS) Remoteness Structure) • 2011 Socio-Economic Indexes for Areas (SEIFA) Index of Relative Socio-economic Disadvantage (IRSD) deciles 2016—State and territory, by: • Indigenous status of the mother • Indigenous status of the baby 2014–16—State and territory, by (all not reported): • Indigenous status of the mother • Indigenous status of the mother • Indigenous status of the baby 2014–16—State and territory, by (all not reported): • Indigenous status of the mother • Indigenous status of the baby Disaggregation by Indigenous status of the mother and the baby are recommended to be reported using 3-year combined data for the current reporting period due to the small number of low birthweight babies born to Indigenous mothers each year. Single year data (2016) will be reported for time series (state/territory by Indigenous status). Note that data collection methods for Indigenous status of the mother and baby may vary between states and territories. Disaggregation data elements: Person—Indigenous status, code N Data Source AHW National Perinatal Data Collection (NPDC) NMOS / DSS Perinatal NMDS 2014-18 Guide for use Data source type: Administrative by-product data		
Structure) 2011 Socio-Economic Indexes for Areas (SEIFA) Index of Relative Socio- economic Disadvantage (IRSD) deciles 2016—State and territory, by: Indigenous status of the mother Indigenous status of the mother Indigenous status of the baby 2014—16—State and territory, by (all not reported): Indigenous status of the mother Indigenous status of the baby 2014—16—State and territory, by (all not reported): Indigenous status of the mother Indigenous status of the baby Disaggregation by Indigenous status of the mother and the baby are recommended to be reported using 3-year combined data for the current reporting period due to the small number of low birthweight babies born to Indigenous mothers each year, and the small number of low birthweight babies born to Indigenous status, Single year data (2016) will be reported for time series (state/territory by Indigenous status). Note that data collection methods for Indigenous status of the mother and baby may vary between states and territories. Disaggregation data element / Data Set Person—Indigenous status, code N Data Source AIHW National Perinatal Data Collection (NPDC) NMDS / DSS Perinatal NMDS 2014-18 Guide for use	Disaggregation:	2016—Nationally, by (all not reported):
2016—State and territory, by: • Indigenous status of the mother • Indigenous status of the baby 2014—16—State and territory, by (all not reported): • Indigenous status of the mother • Indigenous status of the baby Disaggregation by Indigenous status of the mother and the baby are recommended to be reported using 3-year combined data for the current reporting period due to the small number of low birthweight habies born to Indigenous mothers each year, and the small number of low birthweight Indigenous babies born each year. Single year data (2016) will be reported for time series (state/territory by Indigenous status). Note that data collection methods for Indigenous status of the mother and baby may vary between states and territories. Disaggregation data elements: Pata Element / Data Set Person—Indigenous status, code N Data Source AlHW National Perinatal Data Collection (NPDC) NMDS / DSS Perinatal NMDS 2014-18 Guide for use		Structure)2011 Socio-Economic Indexes for Areas (SEIFA) Index of Relative Socio-
 Indigenous status of the mother Indigenous status of the baby 2014–16—State and territory, by (all not reported): Indigenous status of the mother Indigenous status of the baby Disaggregation by Indigenous status of the mother and the baby are recommended to be reported using 3-year combined data for the current reporting period due to the small number of low birthweight babies born to Indigenous mothers each year, and the small number of low birthweight babies born each year. Single year data (2016) will be reported for time series (state/territory by Indigenous status). Note that data collection methods for Indigenous status of the mother and baby may vary between states and territories. Disaggregation data elements: Disaggregation data Renon_Indigenous status, code N Data Element / Data Set Person—Indigenous status, code N Data Source AlHW National Perinatal Data Collection (NPDC) NMDS / DSS Perinatal NMDS 2014-18 Guide for use		economic Disadvantage (IRSD) declies
 Indigenous status of the baby 2014–16—State and territory, by (all not reported): Indigenous status of the mother Indigenous status of the baby Disaggregation by Indigenous status of the mother and the baby are recommended to be reported using 3-year combined data for the current reporting period due to the small number of low birthweight babies born to Indigenous mothers each year, and the small number of low birthweight ladies born to Indigenous mothers each year, and the small number of low birthweight Indigenous babies born each year. Single year data (2016) will be reported for time series (state/territory by Indigenous status). Note that data collection methods for Indigenous status of the mother and baby may vary between states and territories. Disaggregation data element / Data Set Person—Indigenous status, code N Data Source AlHW National Perinatal Data Collection (NPDC) NMDS / DSS Perinatal NMDS 2014-18 Guide for use 		2016—State and territory, by:
 Indigenous status of the mother Indigenous status of the baby Disaggregation by Indigenous status of the mother and the baby are recommended to be reported using 3-year combined data for the current reporting period due to the small number of low birthweight babies born to Indigenous mothers each year, and the small number of low birthweight hadigenous babies born each year. Single year data (2016) will be reported for time series (state/territory by Indigenous status). Note that data collection methods for Indigenous status of the mother and baby may vary between states and territories. Disaggregation data elements: 		
 Indigenous status of the baby Disaggregation by Indigenous status of the mother and the baby are recommended to be reported using 3-year combined data for the current reporting period due to the small number of low birthweight babies born to Indigenous mothers each year, and the small number of low birthweight Indigenous babies born each year. Single year data (2016) will be reported for time series (state/territory by Indigenous status). Note that data collection methods for Indigenous status of the mother and baby may vary between states and territories. Disaggregation data element / Data Set Person—Indigenous status, code N Data Source AlHW National Perinatal Data Collection (NPDC) NMDS / DSS Perinatal NMDS 2014-18 Guide for use 		2014–16—State and territory, by (all not reported):
to be reported using 3-year combined data for the current reporting period due to the small number of low birthweight babies born to Indigenous mothers each year, and the small number of low birthweight Indigenous babies born each year. Single year data (2016) will be reported for time series (state/territory by Indigenous status). Note that data collection methods for Indigenous status of the mother and baby may vary between states and territories. Disaggregation data elements: Person—Indigenous status, code N Data Source AlHW National Perinatal Data Collection (NPDC) NMDS / DSS Perinatal NMDS 2014-18 Guide for use		
Vary between states and territories. Disaggregation data elements: Data Element / Data Set Person—Indigenous status, code N Data Source AlHW National Perinatal Data Collection (NPDC) NMDS / DSS Perinatal NMDS 2014-18 Guide for use		to be reported using 3-year combined data for the current reporting period due to the small number of low birthweight babies born to Indigenous mothers each year, and the small number of low birthweight Indigenous babies born each year. Single year data (2016) will be reported for time series (state/territory by
elements: Person—Indigenous status, code N Data Source AIHW National Perinatal Data Collection (NPDC) NMDS / DSS Perinatal NMDS 2014-18 Guide for use Guide for use		
Person—Indigenous status, code N Data Source AIHW National Perinatal Data Collection (NPDC) NMDS / DSS Perinatal NMDS 2014-18 Guide for use		Data Element / Data Set
AlHW National Perinatal Data Collection (NPDC) NMDS / DSS Perinatal NMDS 2014-18 Guide for use	elements:	Person—Indigenous status, code N
NMDS / DSS Perinatal NMDS 2014-18 Guide for use		Data Source
Perinatal NMDS 2014-18 Guide for use		AIHW National Perinatal Data Collection (NPDC)
Guide for use		NMDS / DSS
		Perinatal NMDS 2014-18
Data source type: Administrative by-product data		Guide for use
		Data source type: Administrative by-product data
Data Elomont / Data Sat		

-Data Element / Data Set-

Person—area of usual residence, statistical area level 2 (SA2) code (ASGS 2011) N(9)

Data Source

AIHW National Perinatal Data Collection (NPDC)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data Used for disaggregation by state/territory, remoteness and SEIFA IRSD.

Geographic unit used is Statistical Area Level 2 (SA2) in the Australian Statistical Geography Standard (ASGS). If data are coded according to the Australian Standard Geographical Classification (ASGC) boundaries, concordance files are used to map to the ASGS.

Comments:

Most recent data available for 2019 National Healthcare Agreement performance reporting: 2016 (calendar year data).

Indigenous: Aggregated data (2014 to 2016) will be reported for the current reporting period (state and territory).

Single year data (2016) will be reported for time-series (state and territory).

Information is included in the National Perinatal Data Collection (NPDC) for all live births and stillbirths of at least 400 grams birthweight or at least 20 weeks gestation. Data for this indicator may therefore include live born terminations of pregnancy of at least 20 weeks gestation.

Representational attributes

Representation class:	Percentage
Data type:	Real
Unit of measure:	Person
Format:	N[NN].N

Indicator conceptual framework

Framework and	Community and socioeconomic
dimensions:	

Data source attributes

Data sources:	Data Source
	AIHW National Perinatal Data Collection (NPDC)
	Frequency
	Calendar years ending 31 December each year
	Data custodian
	Australian Institute of Health and Welfare

Accountability attributes

Reporting requirements:	National Healthcare Agreement
Organisation responsible for providing data:	Australian Institute of Health and Welfare
Further data development /	Specification: Final, the measure meets the intention of the indicator.

collection required:

Relational attributes

Related metadata references:	Supersedes National Healthcare Agreement: PI01–Proportion of babies born of low birth weight, 2018 Health!, Superseded 19/06/2019
	Has been superseded by <u>National Healthcare Agreement: PI 01–Proportion of</u> <u>babies born of low birth weight, 2020</u> <u>Health!</u> , Standard 13/03/2020
	See also <u>National Healthcare Agreement: PI 07–Infant and young child mortality</u> rate, 2019 <u>Health!</u> , Superseded 13/03/2020
	See also <u>National Indigenous Reform Agreement: PI 07-Proportion of babies born</u> of low birthweight, 2020 <u>Indigenous</u> , Standard 23/08/2019