

# **Australian Health Performance Framework: PI 3.3.1— Proportion of adults with very high levels of psychological distress, 2019**

**Exported from METEOR (AIHW's Metadata Online Registry)**

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Australian Health Performance Framework: PI 3.3.1– Proportion of adults with very high levels of psychological distress, 2019

## Identifying and definitional attributes

<b>Metadata item type:</b>	Indicator
<b>Indicator type:</b>	Indicator
<b>Short name:</b>	AHPF PI 3.3.1–Proportion of adults with very high levels of psychological distress, 2019
<b>METEOR identifier:</b>	715313
<b>Registration status:</b>	<a href="#">Health!</a> , Standard 09/04/2020
<b>Description:</b>	Proportion of adults with very high levels of psychological distress.
<b>Indicator set:</b>	<a href="#">Australian Health Performance Framework, 2019</a> <a href="#">Health!</a> , Standard 09/04/2020

## Collection and usage attributes

<b>Computation description:</b>	<p>Derived from the <a href="#">Kessler Psychological Distress Scale</a>, with higher scores indicating a higher level of distress; lower scores indicate a low level of distress.</p> <p>A 10 item scale is currently employed by the Australian Bureau of Statistics (ABS) in general population collections (i.e. K10), while a modified 5 item scale is included in the Aboriginal and Torres Strait Islander population collections (K5).</p> <p>Total scores from the K10 scale will be grouped as follows:</p> <ul style="list-style-type: none"><li>• 10–15 Low</li><li>• 16–21 Moderate</li><li>• 22–29 High</li><li>• 30–50 Very high.</li></ul> <p>Total scores from the K5 scale will be grouped as follows:</p> <ul style="list-style-type: none"><li>• 5–11 Low/moderate</li><li>• 12–25 High/very high.</li></ul> <p>Presented as a percentage. Rates are directly age-standardised to the 2001 Australian population. 95% confidence intervals and relative standard errors calculated for rates.</p>
<b>Computation:</b>	$100 \times (\text{Numerator} \div \text{Denominator})$
<b>Numerator:</b>	Number of people aged 18 and over with a very high distress score as measured by the Kessler Psychological Distress Scale.

**Numerator data elements:**

**Data Element / Data Set**

Person—age

**Data Source**

[ABS 2014-15 National Aboriginal and Torres Strait Islander Social Survey \(NATSISS\)](#)

**Guide for use**

Data source type: Survey

**Data Element / Data Set**

Person—Kessler Psychological Distress Scale score

**Data Source**

[ABS 2014-15 National Aboriginal and Torres Strait Islander Social Survey \(NATSISS\)](#)

**Guide for use**

Data source type: Survey

**Data Element / Data Set**

Person—age

**Data Source**

[ABS 2017–18 National Health Survey \(NHS\)](#)

**Guide for use**

Data source type: Survey

**Data Element / Data Set**

Person—Kessler Psychological Distress Scale score

**Data Source**

[ABS 2017–18 National Health Survey \(NHS\)](#)

**Guide for use**

Data source type: Survey

**Denominator:**

Population aged 18 and over.

**Denominator data elements:**

**Data Element / Data Set**

Person—age

**Data Source**

[ABS 2014-15 National Aboriginal and Torres Strait Islander Social Survey \(NATSISS\)](#)

**Guide for use**

Data source type: Survey

**Data Element / Data Set**

Person—age

**Data Source**

[ABS 2017-18 National Health Survey \(NHS\)](#)

**Guide for use**

Data source type: Survey

**Disaggregation:**

2007-08, 2011-12, 2014-15, 2017-18—State and territory, by:

- Sex.

2007-08, 2011-12, 2014-15, 2017-18—Nationally, by:

- Remoteness (Australian Statistical Geography Standard (ASGS 2016) Remoteness Structure)
- 2016 Socio-Economic Indexes for Areas (SEIFA) Index of Relative Socio-Economic Disadvantage (IRSD) quintiles and deciles
- Disability status (not reported).

2007-08, 2011-12, 2014-15, 2017-18—Grouped high/very high levels of psychological distress—State and territory, by:

- Remoteness (ASGS 2016 Remoteness Structure)
- 2016 SEIFA IRSD quintiles
- Disability status (not reported).

2011-13, 2014-15, 2017-18—Grouped high/very high levels of psychological distress—State and territory, by:

- Indigenous status (see below)

Some disaggregations may result in numbers too small for publication.

2017-18 data for the Aboriginal and Torres Strait Islander population are not yet available.

**Disaggregation data elements:**

**Data Element / Data Set**

Person—disability status

**Data Source**

[ABS 2017-18 National Health Survey \(NHS\)](#)

**Guide for use**

Data source type: Survey

**Data Element / Data Set**

Person—Indigenous status

**Data Source**

[ABS 2017–18 National Health Survey \(NHS\)](#)

**Guide for use**

Data source type: Survey

**Data Element / Data Set**

[Person—sex, code N](#)

**Data Source**

[ABS 2017–18 National Health Survey \(NHS\)](#)

**Guide for use**

Data source type: Survey

**Data Element / Data Set**

[Person—area of usual residence, statistical area level 2 \(SA2\) code \(ASGS 2011\) N\(9\)](#)

**Data Source**

[ABS 2014-15 National Aboriginal and Torres Strait Islander Social Survey \(NATSISS\)](#)

**Guide for use**

Data source type: Survey

Used for disaggregation by state/territory

**Data Element / Data Set**

[Person—area of usual residence, statistical area level 2 \(SA2\) code \(ASGS 2016\) N\(9\)](#)

**Data Source**

[ABS 2017–18 National Health Survey \(NHS\)](#)

**Guide for use**

Data source type: Survey

Used for disaggregation by state/territory, remoteness and SEIFA

**Comments:** Most recent data available for the 2019 Australian Health Performance Framework reporting: 2017–18 (total population, non-Indigenous: NHS); 2014–15 (Indigenous only: NATSISS).

National Aboriginal and Torres Strait Islander Social Survey (NATSISS) or National Aboriginal and Torres Strait Islander Health Survey (NATSIHS) data may be used for analysis, dependent upon which survey is most recent. For 2011–13 proportions by Indigenous status, data for the Aboriginal and Torres Strait Islander population were obtained from the NATSIHS 2012–13. Data elements used for the 2012–13 NATSIHS were similar to those listed above for the 2014–15 NATSISS. Data from the 2017–18 NATSIHS are not yet available.

The modified K5 scale from the NATSISS/NATSIHS was used with the corresponding questions from the AHS/NHS to compare the psychological distress levels of Aboriginal and Torres Strait Islander and non-Indigenous peoples.

## Representational attributes

**Representation class:** Percentage

**Data type:** Real

**Unit of measure:** Person

**Format:** N[NN].N

## Indicator conceptual framework

**Framework and dimensions:** [3. Wellbeing](#)

## Data source attributes

**Data sources:**

### Data Source

[ABS 2014-15 National Aboriginal and Torres Strait Islander Social Survey \(NATSISS\)](#)

**Frequency**

Every 6 years

**Data custodian**

Australian Bureau of Statistics

### Data Source

[ABS 2017–18 National Health Survey \(NHS\)](#)

**Frequency**

Every 3 years

**Data custodian**

Australian Bureau of Statistics

## Accountability attributes

**Reporting requirements:** Australian Health Performance Framework

**Organisation responsible for providing data:** Australian Bureau of Statistics

## Source and reference attributes

**Submitting organisation:** Australian Bureau of Statistics

**Reference documents:** ABS (Australian Bureau of Statistics) 2012. Information Paper: Use of the Kessler Psychological Distress Scale in ABS Health Surveys, Australia, 2007–08. ABS cat.no. 4817.0.55.001. Canberra: ABS. Viewed 27 September 2019, <https://www.abs.gov.au/AUSSTATS/abs@.nsf/ProductsbyCatalogue/B9ADE45ED60E0A1CCA256D2D0000A288?OpenDocument>.

## Relational attributes

**Related metadata references:** Has been superseded by [Australian Health Performance Framework: PI 3.3.1–Proportion of adults with very high levels of psychological distress, 2020](#) Health!, Standard 13/10/2021

See also [National Healthcare Agreement: PI 11–Proportion of adults with very high levels of psychological distress, 2020](#) Health!, Standard 13/03/2020

See also [National Healthcare Agreement: PI 11–Proportion of adults with very high levels of psychological distress, 2021](#) Health!, Standard 03/07/2020