Perinatal NBEDS 2020-21

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Perinatal NBEDS 2020–21

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
-	Perinatal NMDS 2020–21	716081		
-	Actual place of birth	695103	Number [1]	1 Hospital, excluding birth centre 2 Birth centre, attached to hospital 3 Birth centre, free standing 4 Home 8 Other 9 Not stated/inadequately described
-	Anaesthesia administered indicator	695188	Number [1]	1 Yes 2 No 9 Not stated/inadequately described
-	Analgesia administered indicator	695200	Number [1]	1 Yes 2 No 9 Not stated/inadequately described
-	Method of birth	695372	Number [1]	1 Vaginal—non-instrumental 2 Vaginal—forceps 4 Caesarean section 5 Vaginal—vacuum extraction 9 Not stated/inadequately described
-	Presentation at birth	695418	Number [1]	1 Vertex 2 Breech 3 Face 4 Brow 8 Other 9 Not stated/inadequately described
-	Labour induction method	695355	Number [2]	1 Oxytocin 2 Prostaglandins 3 Artificial rupture of membranes (ARM) 6 Mechanical cervical dilatation 7 Antiprogestogen 88 Other 99 Not stated/inadequately described
-	Labour onset type	695339	Number [1]	1 Spontaneous 2 Induced 3 No labour 9 Not stated/inadequately described

Sec	Metadata item	METEOR	Data Type	Value & Meaning
No		identifier	[Length]	

-	State/territory of birth	718242	Number [1]	1 New South Wales 2 Victoria 3 Queensland 4 South Australia 5 Western Australia 6 Tasmania 7 Northern Territory 8 Australian Capital Territory 9 Other territories (Cocos (Keeling) Islands, Christmas Island and Jervis Bay Territory)
-	Type of anaesthesia administered during a birth event	695530	Number [2]	2 Local anaesthetic to perineum 3 Pudendal block 4 Epidural or caudal block 5 Spinal block 6 General anaesthesia 7 Combined spinal-epidural block 88 Other anaesthesia 99 Not stated/inadequately described
-	Type of analgesia administered during a birth event	695545	Number [2]	2 Nitrous oxide 4 Epidural or caudal block 5 Spinal block 6 Systemic opioids 7 Combined spinal-epidural block 88 Other analgesia 99 Not stated/inadequately described
-	Separation date	270025	Date/Time [8]	DDMMYYYY The day of a particular month and year.
-	Establishment identifier	269973	String [9]	NNX[X]NNNNN A combination of numeric and alphanumeric characters that identify an entity.
-	Caesarean section at most recent previous birth indicator	695328	Number [1]	1 Yes 2 No 7 Not applicable 9 Not stated/inadequately described

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
-	Diabetes during pregnancy	716227	Number [1]	1 Yes 2 No 9 Not stated/inadequately described
-	Hypertension during pregnancy	719256	Number [1]	1 Yes 2 No 9 Not stated/inadequately described
-	Antenatal care visits	717735	Number [2]	99 Not stated/inadequately described
-	Number of tobacco cigarettes smoked per day after 20 weeks of pregnancy	695382	Number [3]	998 Occasional smoking (less than one) 999 Not stated/inadequately described
-	<u>Parity</u>	696262	Number [2]	99 Not stated
-	Postpartum perineal status	717924	Number [2]	1 Intact 2 1st degree laceration/vaginal graze 3 2nd degree laceration 4 3rd degree laceration 5 Episiotomy 7 4th degree laceration 88 Other perineal laceration, rupture or tear 99 Not stated/inadequately described
-	Tobacco smoking after 20 weeks of pregnancy indicator	695447	Number [1]	1 Yes 2 No 9 Not stated/inadequately described
-	Tobacco smoking in the first 20 weeks of pregnancy indicator	695487	Number [1]	1 Yes 2 No 9 Not stated/inadequately described
-	Area of usual residence (SA2)	659725	String [9]	N(9) A code set representing a medium-sized general purpose area aggregated from whole Statistical areas level 1 (SA1s).
-	Country of birth	659454	Number [4]	NNNN The Standard Australian Classification of Countries (SACC 2016) code set representing a country.
-	Date of birth	287007	Date/Time [8]	DDMMYYYY The day of a particular month and year.

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
-	Indigenous status	602543	Number [1]	1 Aboriginal but not Torres Strait Islander origin 2 Torres Strait Islander but not Aboriginal origin 3 Both Aboriginal and Torres Strait Islander origin 4 Neither Aboriginal nor Torres Strait Islander origin 9 Not stated/inadequately described
-	Person identifier	290046	String [20]	XXXXXX[X(14)] A logical combination of valid alphanumeric characters that identify an entity.
-	Sex	635126	String [1]	1 Male 2 Female 3 Other 9 Not stated/inadequately described
-	Birth plurality	695308	Number [1]	1 Singleton 2 Twins 3 Triplets 4 Quadruplets 5 Quintuplets 6 Sextuplets 8 Other 9 Not stated/inadequately described
-	Pregnancy duration at the first antenatal care visit	695410	Number [2]	99 Not stated/unknown
-	Active resuscitation of baby indicator	695556	Number [1]	1 Yes 2 No 9 Not stated/inadequately described
-	Active resuscitation of baby method	695568	Number [2]	2 Suction 3 Oxygen therapy 7 Intermittent positive pressure ventilation (IPPV) 8 Continuous positive airway pressure (CPAP) ventilation 10 Intubation 11 External cardiac compressions 88 Other 99 Not stated/inadequately described
-	Apgar score at 5 minutes	695281	String [2]	00-10 Apgar score 99 Not stated/inadequately described

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
-	Birth order	695293	Number [1]	1 Singleton or first of a multiple birth 2 Second of a multiple birth 3 Third of a multiple birth 4 Fourth of a multiple birth 5 Fifth of a multiple birth 6 Sixth of a multiple birth 8 Other 9 Not stated/inadequately described
-	Status of the baby	695437	Number [1]	1 Live birth 2 Stillbirth (fetal death) 9 Not stated/inadequately described
-	Birthweight of baby	716139	Number [4]	9999 Not stated/inadequately described
-	Gestational age	695332	Number [2]	99 Not stated/unknown
-	Additional indication for caesarean section	695691	Number [2]	1 Fetal compromise 2 Suspected fetal macrosomia 3 Malpresentation 10 Lack of progress; less than or equal to 3 cm cervical dilatation 11 Lack of progress in the first stage; greater than 3 cm to less than 10 cm cervical dilatation 12 Lack of progress in the second stage 13 Placenta praevia 14 Placental abruption 15 Vasa praevia 16 Antepartum/intrapartum haemorrhage 17 Multiple pregnancy 18 Unsuccessful attempt at assisted delivery 19 Cord prolapse 20 Previous adverse perinatal outcome 21 Previous caesarean section 22 Previous severe perineal trauma 23 Previous shoulder dystocia 29 Other obstetric, medical, surgical, psychological indications 30 Maternal choice in the absence of any obstetric, medical, surgical, psychological indications 99 Not stated/inadequately described

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
-	Additional indication for induction of labour	695711	Number [2]	 1 Prolonged pregnancy 2 Prelabour rupture of membranes 3 Diabetes
				 4 Hypertensive disorders 5 Multiple pregnancy 6 Chorioamnionitis (includes suspected)
				7 Cholestasis of pregnancy 8 Antepartum haemorrhage 9 Maternal age
				10 Body Mass Index (BMI) 11 Maternal mental health indication
				 12 Previous adverse perinatal outcome 19 Other maternal obstetric or medical indication 20 Fetal compromise (includes suspected)
				21 Fetal growth restriction (includes suspected) 22 Fetal macrosomia (includes suspected) 23 Fetal death
				24 Fetal congenital anomaly 80 Administrative or geographical indication
				81 Maternal choice in the absence of any obstetric, medical, fetal, administrative or geographical indication 89 Other indication not elsewhere classified
				99 Not stated/inadequately described

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
-	Main indication for caesarean section	695698	Number [2]	1 Fetal compromise
				2 Suspected fetal macrosomia
				3 Malpresentation
				10 Lack of progress; less than or equal to 3 cm cervical dilatation
				11 Lack of progress in the first stage; greater than 3 cm to less than 10 cm cervical dilatation
				12 Lack of progress in the second stage
				13 Placenta praevia
				14 Placental abruption
				15 Vasa praevia
				16 Antepartum/intrapartum haemorrhage
				17 Multiple pregnancy
				18 Unsuccessful attempt at assisted delivery
				19 Cord prolapse
				20 Previous adverse perinatal outcome
				21 Previous caesarean section
				22 Previous severe perineal trauma
				23 Previous shoulder dystocia
				29 Other obstetric, medical, surgical, psychological indications
				30 Maternal choice in the absence of any obstetric, medical, surgical, psychological indications
l				99 Not stated/inadequately described

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
-	Main indication for induction of labour	695720	Number [2]	1 Prolonged pregnancy 2 Prelabour rupture of membranes 3 Diabetes 4 Hypertensive disorders 5 Multiple pregnancy 6 Chorioamnionitis (includes suspected) 7 Cholestasis of pregnancy 8 Antepartum haemorrhage 9 Maternal age 10 Body Mass Index (BMI) 11 Maternal mental health indication 12 Previous adverse perinatal outcome 19 Other maternal obstetric or medical indication 12 Previous adverse (includes suspected) 13 Fetal growth restriction (includes suspected) 14 Fetal growth restriction (includes suspected) 15 Fetal macrosomia (includes suspected) 16 Fetal death 17 Fetal congenital anomaly 18 Administrative or geographical indication 18 Maternal choice in the absence of any obstetric, medical, fetal, administrative or geographical indication 18 Other indication not elsewhere classified 19 Not stated/inadequately described
-	Alcohol consumption after 20 weeks of pregnancy indicator	690739	Number [1]	1 Yes 2 No 9 Not stated/inadequately described
-	Alcohol consumption frequency after 20 weeks of pregnancy	691060	Number [1]	0 Never 1 Monthly or less 2 2–4 times a month 3 2–3 times a week 4 4 or more times a week 9 Not stated/inadequately described
-	Alcohol consumption frequency in first 20 weeks of pregnancy	691052	Number [1]	0 Never 1 Monthly or less 2 2–4 times a month 3 2–3 times a week 4 4 or more times a week 9 Not stated/inadequately described

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & Meaning
-	Alcohol consumption in the first 20 weeks of pregnancy indicator	690482	Number [1]	1 Yes 2 No 9 Not stated/inadequately described
-	Mental health screening status	622186	Number [1]	1 Yes 2 Not offered 3 Declined 9 Not stated/inadequately described
-	Blood transfusion for primary postpartum haemorrhage	673477	Number [1]	1 Yes 2 No 9 Not stated/inadequately described
-	Primary postpartum haemorrhage blood loss	655567	Number [1]	1 500–999 ml 2 1000–1499 ml 3 1500 ml or more 9 Not stated/inadequately described
-	Indication of depressive symptoms at an antenatal visit	704384	Number [2]	0 - 30 A number representing a score on the Edinburgh Postnatal Depression Scale 98 Unknown 99 Not stated/inadequately described
-	Maternity model of care at onset of labour or non-labour caesarean section	704353	Number [6]	NNNNNN A combination of numeric characters that identify an entity.
-	Number of standard drinks consumed when drinking alcohol after 20 weeks of pregnancy	691039	Number [3]	998 Occasional drinking (less than one) 999 Not stated/inadequately described
-	Number of standard drinks consumed when drinking alcohol in the first 20 weeks of pregnancy	690993	Number [3]	998 Occasional drinking (less than one) 999 Not stated/inadequately described
-	Primary maternity model of care	704349	Number [6]	NNNNNN A combination of numeric characters that identify an entity.
-	Primary postpartum haemorrhage indicator	673595	Number [1]	1 Yes 2 No 9 Not stated/inadequately described
-	Diabetes mellitus type during pregnancy	717957	Number [1]	1 Pre-existing Type 1 diabetes 2 Pre-existing Type 2 diabetes 3 Gestational diabetes mellitus (GDM) 8 Other type of diabetes mellitus 9 Not stated/inadequately described

Seq No.	Metadata item	METEOR identifier	Data Type [Length]	Value & N	<i>l</i> leaning	
-	Diabetes therapy type during pregnancy	717963	Number [1]	1 2 3 9	Insulin Oral hypoglycaemic Diet and exercise Not stated/inadequately described	
-	Hypertensive disorder type during pregnancy	717974	Number [1]	1 2 3 4 9	Eclampsia Preeclampsia Gestational hypertension Chronic hypertension Not stated/inadequately described	
-	Family violence screening status	622401	Number [1]	1 2 3 9	Yes Not offered Declined Not stated/inadequately described	
-	Height (measured)	270361	Number [4]	999.9	Not measured	
-	Height (self-reported)	270365	Number [3]	888 999	Unknown Not stated/inadequately described	
-	Mental health condition indicator	622450	Number [1]	1 2 9	Yes No Not stated/inadequately described	
-	Weight in kilograms (measured)	702085	Number [4]	999.9	Not collected	
-	Weight (self-reported)	302365	Number [3]	888 999	Unknown Not stated	
-	Baby head circumference	695727	Number [4]	999.9	Not measured	