Indigenous primary health care: PI19b-Proportion of regular clients with a selected chronic disease who have had a kidney function test with results within specified levels, June 2020



© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Indigenous primary health care: PI19b-Proportion of regular clients with a selected chronic disease who have had a kidney function test with results within specified levels, June 2020

Identifying and definitional attributes

Metadata item type: Indicator Indicator type: Indicator

Short name: Pl19b-Proportion of regular clients with a selected chronic disease who have had a

kidney function test with results within specified levels, 2020-2021

METEOR identifier: 717344

Registration status: Indigenous, Superseded 14/07/2021

Health!, Retired 13/10/2021

Description: Proportion of regular clients who are Indigenous, aged 15 and over, who are

recorded as having Type II diabetes or cardiovascular disease (CVD) and who have had an estimated glomerular filtration rate (eGFR) recorded within the

previous 12 months with a result of (ml/min/1.73m²):

greater than or equal to 90;

greater than or equal to 60 but less than 90;

- greater than or equal to 45 but less than 60;
- greater than or equal to 30 but less than 45;
- greater than or equal to 15 but less than 30 or;
- less than 15

OR the proportion of regular clients who are male, Indigenous, aged 15 and over, who are recorded as having Type II diabetes and who have had an albumin/creatinine ratio (ACR) recorded within the previous 12 months with a result of (mg/mmol):

- less than 2.5
- greater than or equal to 2.5 but less than or equal to 25
- greater than 25

OR the proportion of regular clients who are female, Indigenous, aged 15 and over, who are recorded as having Type II diabetes and who have had an albumin/creatinine ratio (ACR) recorded within the previous 12 months with a result of (mg/mmol):

- less than 3.5
- greater than or equal to 3.5 but less than or equal to 35
- greater than 35

Rationale: Indigenous Australians have very high levels of kidney disease due to a range of

risk factors and antecedents. Kidney disease contributes substantially to the high burden of ill health experienced by Indigenous Australians. Tests of a person's urine and blood can identify most cases of chronic kidney disease when the disease is in its early stages, enabling treatment to prevent or slow down the progression. Glomerular filtration and albumin/creatinine ratio rate are accepted as the best

measures of kidney disease.

Indicator set: Indigenous primary health care key performance indicators June 2020

Health!, Retired 13/10/2021 Indigenous, Superseded 14/07/2021

Collection and usage attributes

Population group age from:

15 years

Computation description:

Proportion of regular clients who are Indigenous, aged 15 and over, who are recorded as having Type II diabetes or CVD and who have had an eGFR recorded within the previous 12 months with a result of (ml/min/1.73m²):

- greater than or equal to 90;
- greater than or equal to 60 but less than 90;
- greater than or equal to 45 but less than 60;
- greater than or equal to 30 but less than 45;
- greater than or equal to 15 but less than 30 or;
- less than 15

OR the proportion of regular clients who are male, Indigenous, aged 15 and over, who are recorded as having Type II diabetes and who have had an albumin/creatinine ratio (ACR) recorded within the previous 12 months with a result of (mg/mmol):

- less than 2.5
- greater than or equal to 2.5 but less than or equal to 25
- greater than 25

OR the proportion of regular clients who are female, Indigenous, aged 15 and over, who are recorded as having Type II diabetes and who have had an albumin/creatinine ratio (ACR) recorded within the previous 12 months with a result of (mg/mmol):

- less than 3.5
- greater than or equal to 3.5 but less than or equal to 35
- greater than 35

'Regular client' refers to a client of an Australian Government Department of Healthfunded primary health-care service (that is required to report against the Indigenous primary health care key performance indicators) who has an active medical record; that is, a client who has attended the Department of Health-funded primary healthcare service at least 3 times in 2 years.

Presented as a percentage.

Computation:

(Numerator ÷ Denominator) x 100

Numerator:

Calculation A: Number of regular clients who are Indigenous, aged 15 and over, are recorded as having Type II diabetes and who have had an eGFR recorded within the previous 12 months with a result of greater than or equal to 90.

Calculation B: Number of regular clients who are Indigenous, aged 15 and over, are recorded as having Type II diabetes and who have had an eGFR recorded within the previous 12 months with a result of greater than or equal to 60 but less than 90.

Calculation C: Number of regular clients who are Indigenous, aged 15 and over, are recorded as having Type II diabetes and who have had an eGFR recorded within the previous 12 months with a result of greater than or equal to 45 but less than 60.

Calculation D: Number of regular clients who are Indigenous, aged 15 and over, are recorded as having Type II diabetes and who had an eGFR recorded within the previous 12 months with a result of greater than or equal to 30 but less than 45.

Calculation E: Number of regular clients who are Indigenous, aged 15 and over, are recorded as having Type II diabetes and who had an eGFR recorded within the previous 12 months with a result of greater than or equal to 15 but less than 30.

Calculation F: Number of regular clients who are Indigenous, aged 15 and over, are recorded as having Type II diabetes and who have had an eGFR recorded within the previous 12 months with a result of less than 15.

Calculation G: Number of regular clients who are Indigenous, aged 15 and over, are recorded as having CVD and who have had an eGFR recorded within the previous 12 months with a result of greater than or equal to 90.

Calculation H: Number of regular clients who are Indigenous, aged 15 and over, are

recorded as having CVD and who have had an eGFR recorded within the previous 12 months with a result of greater than or equal to 60 but less than 90.

Calculation I: Number of regular clients who are Indigenous, aged 15 and over, are recorded as having CVD and who have had an eGFR recorded within the previous 12 months with a result of greater than or equal to 45 but less than 60.

Calculation J: Number of regular clients who are Indigenous, aged 15 and over, are recorded as having CVD and who had an eGFR recorded within the previous 12 months with a result of greater than or equal to 30 but less than 45.

Calculation K: Number of regular clients who are Indigenous, aged 15 and over, are recorded as having CVD and who had an eGFR recorded within the previous 12 months with a result of greater than or equal to 15 but less than 30.

Calculation L: Number of regular clients who are Indigenous, aged 15 and over, are recorded as having CVD and who have had an eGFR recorded within the previous 12 months with a result of less than 15.

Calculation M: Number of regular clients who are male, Indigenous, aged 15 and over, are recorded as having Type II diabetes and who have had an ACR recorded within the previous 12 months with a result of less than 2.5.

Calculation N: Number of regular clients who are male, Indigenous, aged 15 and over, are recorded as having Type II diabetes and who have had an ACR recorded within the previous 12 months with a result of greater than or equal to 2.5 but less than or equal to 25.

Calculation O: Number of regular clients who are male, Indigenous, aged 15 and over, are recorded as having Type II diabetes and who have had an ACR recorded within the previous 12 months with a result of greater than 25.

Calculation P: Number of regular clients who are female, Indigenous, aged 15 and over, are recorded as having Type II diabetes and who have had an ACR recorded within the previous 12 months with a result of less than 3.5.

Calculation Q: Number of regular clients who are female, Indigenous, aged 15 and over, are recorded as having Type II diabetes and who have had an ACR recorded within the previous 12 months with a result of greater than or equal to 3.5 but less than or equal to 35.

Calculation R: Number of regular clients who are female, Indigenous, aged 15 and over, are recorded as having Type II diabetes and who have had an ACR recorded within the previous 12 months with a result of greater than 35.

Numerator data elements:

Data Element / Data Set-

Person-diabetes mellitus status, code NN

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2020-21

Guide for use

Type II diabetes only.

Data Element / Data Set-

Person—age, total years N[NN]

Data Source

Indigenous primary health care data collection

NMDS / DSS

Data Element / Data Set-

Person—cardiovascular disease recorded indicator, yes/no code N

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2020-21

Data Element / Data Set-

Person—estimated glomerular filtration rate (eGFR) result, code N[A]

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2020-21

Guide for use

For the purposes of this indicator, categories 1 (eGFR greater than or equal to 90) and 2 (eGFR greater than or equal to 60 but less than 90) of this data element are to be combined into a single category, i.e. eGFR greater than or equal to 60.

Data Element / Data Set-

Person-Indigenous status, code N

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2020-21

Data Element / Data Set-

Person—sex, code X

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2020–21

Data Element / Data Set

Person—regular client indicator, yes/no code N

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2020-21

Data Element / Data Set-

Person—albumin/creatinine ratio (ACR) result, code N

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2020-21

Denominator:

Calculation A, B, C, D, E and F: Total number of regular clients who are Indigenous, aged 15 and over, are recorded as having Type II diabetes and who had an eGFR result recorded within the previous 12 months.

Calculation G, H, I, J, K and L: Total number of regular clients who are Indigenous, aged 15 and over, are recorded as having CVD and who had an eGFR result recorded within the previous 12 months.

Calculation M, N and O: Total number of regular clients who are male, Indigenous, aged 15 and over, are recorded as having Type II diabetes and who have had an ACR recorded within the previous 12 months.

Calculation P, Q and R: Total number of regular clients who are female, Indigenous, aged 15 and over, are recorded as having Type II diabetes and who have had an ACR recorded within the previous 12 months.

Denominator data elements:

Data Element / Data Set-

Person—diabetes mellitus status, code NN

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2020-21

Guide for use

Type II diabetes only.

Data Element / Data Set-

Person—age, total years N[NN]

Data Source

Indigenous primary health care data collection

NMDS / DSS

Data Element / Data Set-

Person—estimated glomerular filtration rate (eGFR) recorded indicator, yes/no code N

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2020-21

Data Element / Data Set-

Person—cardiovascular disease recorded indicator, yes/no code N

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2020-21

Data Element / Data Set-

Person—Indigenous status, code N

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2020–21

Data Element / Data Set-

Person—sex, code X

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2020-21

Data Element / Data Set-

Person-regular client indicator, yes/no code N

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2020-21

Data Element / Data Set-

Person—albumin/creatinine ratio (ACR) result, code N

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2020-21

Disaggregation:

- 1. Sex:
- a) Male
- b) Female
- 2. Age group:
- a) 15–24 years b) 25–34 years
- c) 35–44 years d) 45–54 years
- e) 55–64 years
- f) 65 years and over

Disaggregation data elements:

Data Element / Data Set-

Person—age, total years N[NN]

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2020-21

Data Element / Data Set-

Person—sex, code X

Data Source

Indigenous primary health care data collection

NMDS / DSS

Indigenous primary health care NBEDS 2020-21

Comments: This indicator covers a 24 month reporting period from 1 January 2020 to 31

December 2021:

 Indigenous primary health care NBEDS 2019–20 covers the period 01/01/2020 to 30/06/2020

- Indigenous primary health care NBEDS 2020–21 covers the period 01/07/2020 to 30/06/2021
- Indigenous primary health care NBEDS 2021–22 (to be released) will cover the period 01/07/2021 to 31/12/2021.

Representational attributes

Representation class: Percentage

Data type:RealUnit of measure:PersonFormat:N[N].N

Indicator conceptual framework

Framework and dimensions:

Effective/Appropriate/Efficient

Data source attributes

Data sources:

Data Source

Indigenous primary health care data collection

Frequency
6 monthly

Data custodian

Australian Institute of Health and Welfare.

Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare

Australian Government Department of Health

Relational attributes

Related metadata references:

Supersedes <u>Indigenous primary health care: PI19b-Proportion of regular clients</u> with a selected chronic disease who have had a kidney function test with results

within specified levels, 2018-2019

Health!, Superseded 16/01/2020
Indigenous, Superseded 14/07/2021

Has been superseded by Indigenous-specific primary health care: PI19b-

<u>Proportion of Indigenous regular clients with a selected chronic disease who have a kidney function test result within specified levels, December 2020</u>

Indigenous, Standard 14/07/2021

See also Indigenous primary health care: PI19a-Number of regular clients with a selected chronic disease who have had a kidney function test with results within specified levels, June 2020

Health!, Retired 13/10/2021

Indigenous, Superseded 14/07/2021