National Core Maternity Indicators: PI 10-Small babies among births at or after 40 weeks gestation,



© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

National Core Maternity Indicators: PI 10–Small babies among births at or after 40 weeks gestation, 2019

Identifying and definitional attributes

Metadata item type: Indicator Indicator type: Indicator

Common name: Small babies among births at or after 40 weeks gestation

Short name: PI 10–Small babies among births at or after 40 weeks gestation, 2019

METEOR identifier: 717546

Registration status: Health!, Superseded 16/09/2020

Description: The proportion of babies born at or after 40 weeks gestation who weighed less

than 2,750 grams at birth.

Rationale: This indicator aims to identify intrauterine growth restriction for babies born at or

after 40 weeks gestation. This indicator is used to benchmark practice.

Indicator set: National Core Maternity Indicators, 2019

Health!, Superseded 16/09/2020

Collection and usage attributes

Computation description: The number of babies born at or after 40 weeks gestation who weighed less than

2,750 grams at birth, divided by the number of babies born at or after 40 weeks

gestation, and multiplied by 100.

A birth is defined as an event in which a baby comes out of the uterus after a pregnancy of at least 20 weeks gestation or weighing 400 grams or more.

Births included are those for babies born at or after 40 weeks gestation. This

includes stillborn babies and babies from a multiple birth.

Births excluded are those for babies born before 40 completed weeks gestational

age, that is before 40 weeks and 0 (zero) days.

Gestational age is reported as completed weeks.

Computation: 100 × (Numerator ÷ Denominator)

Numerator: The number of babies born at or after 40 weeks gestation who weighed less than

2,750 grams at birth.

Numerator data elements:

Data Element / Data Set

Birth—birth weight, total grams NNNN

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set-

Product of conception—gestational age, completed weeks N[N]

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

Denominator:

The number of babies born at or after 40 weeks gestation.

Denominator data elements:

Data Element / Data Set-

Product of conception—gestational age, completed weeks N[N]

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

Disaggregation:

- · Year of birth
- State or territory of birth
- Mother's age at birth
- Hospital annual number of births
- · Hospital sector
- Mother's smoking status during pregnancy
- Remoteness category (from mother's area of usual residence)
- Disadvantage quintile (from mother's area of usual residence)
- · Mother's country of birth
- Indigenous status of mother
- · Sex of baby
- Primary Health Network (from mother's area of usual residence)
- Statistical local area 3 (from mother's area of usual residence)

Disaggregation data elements:

Data Element / Data Set

Hospital annual number of births

Data Source

AlHW National Perinatal Data Collection (NPDC)

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set-

Hospital sector

Data Source

AlHW National Perinatal Data Collection (NPDC)

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set-

Smoking status during pregnancy

Data Source

AlHW National Perinatal Data Collection (NPDC)

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set-

Birth event—state/territory of birth, code N

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set-

Person—date of birth, DDMMYYYY

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set-

Person—sex, code N

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set-

Person—Indigenous status, code N

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set-

Person—country of birth, code (SACC 2016) NNNN

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

Data Element / Data Set-

Person—area of usual residence, statistical area level 2 (SA2) code (ASGS 2016) N(9)

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

Comments:

Data elements are from the Perinatal National Minimum Data Set (NMDS) or have been provided as voluntary non-standardised items by the states and territories. Records with data that are missing, not stated or not interpretable have been excluded from the denominator.

Modified from Australian Council on Healthcare Standards (ACHS) Indicator 8.1: Babies with severe intrauterine growth restriction. This ACHS indicator is based on the definition by Women's Healthcare Australasia Core Maternity Indicators Project (WHA 2007).

Representational attributes

Representation class: Percentage

Data type:RealUnit of measure:PersonFormat:N[NN.N]

Data source attributes

Data sources:

Data Source

Perinatal National Minimum Data Set (NMDS)

Frequency

Annual

Data custodian

Australian Institute of Health and Welfare

Data Source

AlHW National Perinatal Data Collection (NPDC)

Frequency

Calendar years ending 31 December each year

Data custodian

Australian Institute of Health and Welfare

Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare

Reference documents: ACHS (The Australian Council on Healthcare Standards, Health Services

Research Group, University of Newcastle) 2014. The Australasian Clinical Indicator

Report: 2006-2013. 15th edn. Sydney: ACHS. Viewed 9 April 2018,

https://www.achs.org.au/media/88679/clinical_indicator_report_2006_2013.pdf.

WHA (Women's Healthcare Australasia) 2007. Supporting excellence in maternity care: the core maternity indicators project: findings from the core maternity

indicators project. Canberra: WHA.

Relational attributes

Related metadata references:

Supersedes National Core Maternity Indicators: PI 10–Small babies among births at or after 40 weeks gestation, 2018

Health!, Superseded 19/06/2019

Has been superseded by <u>National Core Maternity Indicators: PI 10–Small babies</u> among births at or after 40 weeks gestation, 2020

Health!, Superseded 17/12/2021