

### © Australian Institute of Health and Welfare 2024

This product, excluding the AlHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

# Australian Atlas of Healthcare Variation 2021

### Identifying and definitional attributes

Metadata item type: Indicator Set

Indicator set type: Other

METEOR identifier: 723541

Registration status: Australian Commission on Safety and Quality in Health Care, Standard 27/04/2021

**Description:** A list of indicators for the fourth Australian Atlas of Healthcare Variation (2021)

#### Relational attributes

Related metadata references:

Supersedes Australian Atlas of Healthcare Variation 2018

Australian Commission on Safety and Quality in Health Care, Standard

13/12/2018

Indicators linked to this Indicator set:

<u>Caesarean section at less than 37, 38 and 39 completed weeks gestation without</u> medical or obstetric indication, 2017

<u>Australian Commission on Safety and Quality in Health Care</u>, Standard 27/04/2021

Caesarean section or induction of labour at less than 37, 38 and 39 completed weeks gestation without medical or obstetric indication, 2017

<u>Australian Commission on Safety and Quality in Health Care</u>, Standard 27/04/2021

Number of lumbar spinal decompression (excluding lumbar spinal fusion) hospitalisations per 100,000 people aged 18 years and over, 2012-13 to 2014-15 and 2015-16 to 2017-18

<u>Australian Commission on Safety and Quality in Health Care</u>, Standard 27/04/2021

Number of lumbar spinal fusion (excluding lumbar spinal decompression) hospitalisations per 100,000 people, aged 18 years and over, 2012-13 to 2014-15 and 2015-16 to 2017-18

<u>Australian Commission on Safety and Quality in Health Care</u>, Standard 27/04/2021

Number of lumbar spinal fusion (with or without lumbar spinal decompression) hospitalisations per 100,000 people, aged 18 years and over, 2012-13 to 2014-15 and 2015-16 to 2017-18

<u>Australian Commission on Safety and Quality in Health Care</u>, Standard 27/04/2021

Number of MBS-subsidised services for gastroscopy per 100,000 people aged 18-54 years, 2018-19

<u>Australian Commission on Safety and Quality in Health Care</u>, Standard 27/04/2021

Number of MBS-subsidised services for repeat colonoscopy per 100,000 people of all ages, 2018-19

<u>Australian Commission on Safety and Quality in Health Care</u>, Standard 27/04/2021

Number of MBS-subsidised services for repeat gastroscopy per 100,000 people of all ages, 2018-19

<u>Australian Commission on Safety and Quality in Health Care</u>, Standard 27/04/2021

Number of myringotomy hospitalisations per 100,000 people aged 17 years and under, 2012-13, 2015-16 and 2017-18

<u>Australian Commission on Safety and Quality in Health Care</u>, Standard 27/04/2021

Number of PBS/RPBS prescriptions dispensed for proton pump inhibitor medicines per 100,000 people aged 75 years and over, 2018-19

Australian Commission on Safety and Quality in Health Care, Standard

Number of people dispensed five or more medicines per 100,000 people aged 75 years and over, 2018-19

<u>Australian Commission on Safety and Quality in Health Care</u>, Standard 27/04/2021

Number of people who had at least one medication management review, per 100,000 people aged 75 years and over, 2018-19

<u>Australian Commission on Safety and Quality in Health Care</u>, Standard 27/04/2021

Number of potentially preventable hospitalisations - cellulitis per 100,000 people of all ages, 2014-15 to 2017-18

<u>Australian Commission on Safety and Quality in Health Care</u>, Standard 27/04/2021

Number of potentially preventable hospitalisations - chronic obstructive pulmonary disease (COPD) per 100,000 people of all ages, 2014-15 to 2017-18

<u>Australian Commission on Safety and Quality in Health Care</u>, Standard 27/04/2021

Number of potentially preventable hospitalisations - diabetes complications per 100,000 people of all ages, 2014-15 to 2017-18

<u>Australian Commission on Safety and Quality in Health Care</u>, Standard 27/04/2021

Number of potentially preventable hospitalisations - heart failure per 100,000 people, of all ages, 2014-15 to 2017-18

<u>Australian Commission on Safety and Quality in Health Care</u>, Standard 27/04/2021

Number of potentially preventable hospitalisations - kidney and urinary tract infections per 100,000 people of all ages, 2014-15 to 2017-18

<u>Australian Commission on Safety and Quality in Health Care</u>, Standard 27/04/2021

Number of tonsillectomy hospitalisations per 100,000 people aged 17 years and under, 2012-13, 2015-16 and 2017-18

<u>Australian Commission on Safety and Quality in Health Care</u>, Standard 27/04/2021

# Collection and usage attributes

Implementation start date: 15/03/2021

#### Source and reference attributes

**Submitting organisation:** Australian Commission on Safety and Quality in Health Care **Steward:** Australian Commission on Safety and Quality in Health Care