National Core Maternity Indicators: PI 01–Tobacco smoking in pregnancy for all females giving birth, 2020

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY4.0 (CC BY4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

National Core Maternity Indicators: PI 01–Tobacco smoking in pregnancy for all females giving birth, 2020

Identifying and definitional attributes

Metadata item type:	Indicator
Indicator type:	Indicator
Common name:	Tobacco smoking in pregnancy
Short name:	PI01–Tobacco smoking in pregnancy for all females giving birth, 2020
METEOR identifier:	728588
Registration status:	Health!, Superseded 17/12/2021
Description:	Among all females who gave birth, the proportion who (a) reported smoking tobacco in the first 20 weeks of pregnancy, and (b) reported smoking tobacco after the first 20 weeks of pregnancy and reported smoking at any time during pregnancy.
Rationale:	This outcome indicator is used to monitor public health.
Indicator set:	National Core Maternity Indicators, 2020 Health!, Superseded 17/12/2021

Collection and usage attributes

Computation description:	(a) The number of females who gave birth and reported smoking in the first 20 weeks of pregnancy, divided by the total number of females who gave birth with a known smoking status in the first 20 weeks of pregnancy, and multiplied by 100.
	(b) The number of females who gave birth and reported smoking after the first 20 weeks of pregnancy, divided by the total number of females who gave birth and reported smoking during pregnancy, and multiplied by 100.
	A birth is defined as the complete expulsion or extraction from a female, of a product of conception of 20 or more completed weeks of gestation or of 400 grams or more birthweight.
	Smoking refers to the use of cigarettes or inhaled tobacco.
Computation:	100 × (Numerator ÷ Denominator)
Numerator:	 (a) The number of females who gave birth and reported smoking tobacco in the first 20 weeks of pregnancy. (b) The number of females who gave birth and reported smoking tobacco after the first 20 weeks of pregnancy.

-Data Element / Data Set

Birth event-state/territory of birth, code N

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

- Data Element / Data Set-

Female (pregnant)—tobacco smoking indicator (first twenty weeks of pregnancy), yes/no code N

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

-Data Element / Data Set-

Female (pregnant)—tobacco smoking indicator (after twenty weeks of pregnancy), yes/no code N

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

Denominator:

(a) The total number of females who gave birth with a stated smoking status in the first 20 weeks of pregnancy.

(b) The total number of females who gave birth with a stated smoking status in the first 20 weeks of pregnancy.

Denominator data elements:	Data Element / Data Set Female (pregnant)—tobacco smoking indicator (first twenty weeks of pregnancy), yes/no code N Data Source Perinatal National Minimum Data Set (NMDS) NMDS / DSS Perinatal NMDS 2014-18 Guide for use
	Data source type: Administrative by-product data
Disaggregation:	 Year of birth State or territory of birth Mother's age at birth Hospital annual number of births Hospital sector Indigenous status of mother Remoteness category (from mother's area of usual residence) Disadvantage quintile (from mother's area of usual residence) Primary Health Network (from mother's area of usual residence) Statistical local area 3 (from mother's area of usual residence)
Disaggregation data elements:	Data Element / Data Set Hospital annual number of births Data Source AlHW National Perinatal Data Collection (NPDC) Guide for use Data source type: Administrative by-product data

-Data Element / Data Set-

Hospital sector

Data Source

AlHW National Perinatal Data Collection (NPDC)

-Data Element / Data Set-

Birth event-state/territory of birth, code N

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

 Data Element / Data Set

 Person—date of birth, DDMMYYYY

 Data Source

 Perinatal National Minimum Data Set (NMDS)

 NMDS / DSS

 Perinatal NMDS 2014-18

 Guide for use

 Data source type: Administrative by-product data

-Data Element / Data Set-

Person—Indigenous status, code N

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

- Data Element / Data Set-

Person—area of usual residence, statistical area level 2 (SA2) code (ASGS 2016) N(9)

Data Source

Perinatal National Minimum Data Set (NMDS)

NMDS / DSS

Perinatal NMDS 2014-18

Guide for use

Data source type: Administrative by-product data

Comments:

Data elements are from the Perinatal National Minimum Data Set (NMDS) or have been provided as voluntary non-standardised items by the states and territories. Records with a permissible value have been included in the denominator.

Standardised data collection for smoking in pregnancy commenced for births from July 2010. This will enable reporting against parts (a) among all females who gave birth the proportion who reported smoking tobacco in the first 20 weeks of pregnancy, and (b) among all females who gave birth the proportion who reported smoking after 20 weeks of pregnancy and reported smoking at any time during pregnancy.

National Perinatal Data Collection (NPDC) data on smoking status and/or smoking quantity (number of cigarettes smoked) have been collected from New South Wales, Queensland, South Australia, and Australian Capital Territory since 2001, and progressively from all other jurisdictions.

Representational attributes

Representation class:	Percentage
Data type:	Real
Unit of measure:	Person
Format:	N[NN.N]

Data source attributes

Data source	es:
-------------	-----

Data Source
Perinatal National Minimum Data Set (NMDS)
Frequency
Annual
Data custodian
Australian Institute of Health and Welfare
- Data Source
AIHW National Perinatal Data Collection (NPDC)
Frequency
Calendar years ending 31 December each year
Data custodian
Australian Institute of Health and Welfare

Source and reference attributes

Submitting organisation:	Australian Institute of Health and Welfare
Reference documents:	WHA (Women's Healthcare Australasia) 2007. Supporting excellence in maternity care: the core maternity indicators project: findings from the core maternity indicators project. Canberra: WHA.

Relational attributes

Supersedes <u>National Core Maternity Indicators: PI 01–Tobacco smoking in</u> pregnancy for all females giving birth, 2019 <u>Health!</u>, Superseded 16/09/2020

Has been superseded by <u>National Core Maternity Indicators: PI01–Tobacco</u> smoking in pregnancy for all females giving birth, 2021 <u>Health!</u>, Standard 17/12/2021