Primary Health Network regular clients with diabetes mellitus cluster

| Exported from METEOR (AIHW's Metadata Online Registry) | | | | |
|---|--|--|--|--|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| © Australian Institute of Health and Welfare 2024 | | | | |
| This product, excluding the AlHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include for example, design and layout images obtained under licence from third parties and signatures. We have | | | | |

made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Primary Health Network regular clients with diabetes mellitus cluster

Identifying and definitional attributes

Metadata item type: Data Set Specification

METEOR identifier: 730356

Registration status: Health!, Recorded 05/01/2021

DSS type: Data Element Cluster

Scope: The Primary Health Network regular clients with diabetes mellitus cluster is

intended for use within the Practice incentives program eligible data set NBEDS (PIP EDS NBEDS). These data elements are used in conjunction with each other to describe the total number of <u>regular clients</u> of service providers within a Primary Health Network who have been diagnosed with diabetes mellitus, disaggregated by sex, age range, Indigenous status and diabetes mellitus status.

Collection and usage attributes

Guide for use:

The five data elements are used together to provide a count of regular clients who have been diagnosed with diabetes mellitus, disaggregated by the various permutations of their sex, age ranges, Indigenous status, and diabetes mellitus status, as demonstrated below:

| Sex | Indigenous Status | Age | Diabetes MellitusStatus | Total |
|--------|------------------------------|-----------|----------------------------|-----------|
| Female | Indigenous Australian | 0-4 | Type 1 | N[NNNNN] |
| Female | Indigenous Australian | 5- 14 | Type 1 | N[NNNNN] |
| Female | Indigenous Australian | 15- 24 | Type 1 | N[NNNNN] |
| | | | | |
| Female | Indigenous Australian | 0-4 | Type 2 | N[NNNNN] |
| Female | Indigenous Australian | 5- 14 | Type 2 | N[NNNNN] |
| Female | Indigenous Australian | 15- 24 | Type 2 | N[NNNNN] |
| | | | | |
| Female | Non-Indigenous Australian | 0-4 | Type 1 | N[NNNNNN] |
| Female | Non-Indigenous Australian | 5- 14 | Type 1 | N[NNNNNN] |
| Female | Non-Indigenous Australian | 15- 24 | Type 1 | N[NNNNN] |
| | | | | |
| Female | Non-Indigenous Australian | 0-4 | Туре 2 | N[NNNNN] |
| Female | Non-Indigenous Australian | 0-4 | Туре 2 | N[NNNNN] |
| Female | Non-Indigenous Australian | 0-4 | Type 2 | N[NNNNNN] |

| Female | Not stated/inadequately described | 0-4 | Type 1 | N[NNNNN] |
|--------|-----------------------------------|-----------|--------|-----------|
| Female | Not stated/inadequately described | 5- 14 | Type 1 | N[NNNNNN] |
| Female | Not stated/inadequately described | 15- 24 | Type 1 | N[NNNNNN] |
| | | | | |
| Female | Not stated/inadequately described | 0-4 | Type 2 | N[NNNNN] |
| Female | Not stated/inadequately described | 5- 14 | Type 2 | N[NNNNN] |
| Female | Not stated/inadequately described | 15- 24 | Type 2 | N[NNNNN] |
| | | | | |
| Male | Indigenous Australian | 0-4 | Type 1 | N[NNNNN] |
| Male | Indigenous Australian | 5- 14 | Type 1 | N[NNNNN] |
| Male | Indigenous Australian | 15- 24 | Type 1 | N[NNNNN] |
| | | | | |
| Male | Indigenous Australian | 0-4 | Type 2 | N[NNNNN] |
| Male | Indigenous Australian | 5- 14 | Type 2 | N[NNNNN] |
| Male | Indigenous Australian | 15- 24 | Type 2 | N[NNNNN] |
| | | | | |
| Male | Non-Indigenous Australian | 0-4 | Type 1 | N[NNNNN] |
| Male | Non-Indigenous Australian | 5- 14 | Type 1 | N[NNNNN] |
| Male | Non-Indigenous Australian | 15- 24 | Type 1 | N[NNNNN] |
| | | | | |
| Male | Not stated/inadequately described | 0-4 | Type 1 | N[NNNNNN] |
| Male | Not stated/inadequately described | 5- 14 | Type 1 | N[NNNNNN] |
| Male | Not stated/inadequately described | 15- 24 | Type 1 | N[NNNNNN] |

| Indeterminate/Intersex | Indigenous Australian | 0-4 | Type 1 | N[NNNNN] |
|------------------------|---|-----------|--------|-----------|
| Indeterminate/Intersex | Indigenous Australian | 5- 14 | Type 1 | N[NNNNN] |
| Indeterminate/Intersex | Indigenous Australian | 15- 24 | Type 1 | N[NNNNNN] |
| | | | | |
| Indeterminate/Intersex | Non-Indigenous Australian | 0-4 | Туре 1 | N[NNNNN] |
| Indeterminate/Intersex | Non-Indigenous Australian | 5- 14 | Type 1 | N[NNNNNN] |
| Indeterminate/Intersex | Non-Indigenous Australian | 15- 24 | Type 1 | N[NNNNNN] |
| | | | | |
| Indeterminate/Intersex | Not stated/inadequately described | 0-4 | Туре 1 | N[NNNNN] |
| Indeterminate/Intersex | Not stated/inadequately described | 5- 14 | Туре 1 | N[NNNNN] |
| Indeterminate/Intersex | Not stated/inadequately described | 15- 24 | Туре 1 | N[NNNNN] |
| | | | | |
| Total | | | | N[NNNNN] |

Collection methods:

Data is collected for every <u>regular client</u> who has Type 1 or Type 2 diabetes, or a diagnosis which indicates diabetes but does not specify between Type 1 and Type 2.

A client is classified as having Type 1 or Type 2 diabetes, or a diagnosis which indicates diabetes but does not specify between Type 1 and Type 2, if it is listed as a diagnosis in their patient record. Clients are excluded from the calculation if they:

- had secondary diabetes, gestational diabetes mellitus (GDM), previous GDM, impaired fasting glucose, impaired glucose tolerance.
- had results from measurements conducted outside of the service which were not available to the service and had not visited the service in the previous 12 months.

Note that any patients who have had gestational diabetes but also have Type 1 or 2 diabetes will be included.

In addition to the disaggregations as specified generally in the PIP EDS NBEDS, the data should also be disaggregated by diabetes mellitus status, with reference to Person—diabetes mellitus status, simplified code N.

Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare.

Relational attributes

Implementation in Data Set Specifications:

Implementation in Data Set Practice incentives program eligible data set NBEDS 2020–21

Health!, Recorded 05/01/2021

Implementation start date: 31/10/2020

Implementation end date: 30/06/2021

Metadata 730356 Page 4 of 5 Downloaded 16-Jul-2024

Metadata items in this Data Set Specification

| Seq No. | Metadata item | Obligation | Max occurs |
|------------|---|------------|---------------|
| - | Person—age range, code N[N]{.N} | Mandatory | 99 |
| - | Person—diabetes mellitus status, simplified code N | Mandatory | 99 |
| - | Person—Indigenous status, simplified code N | Mandatory | 99 |
| - | Person—sex, simplified code N | Mandatory | 99 |
| - | Primary Health Network—number of regular clients with diabetes mellitus, total number N[NNNNNN] | Mandatory | 99 |