

Birth event—labour induction method, code N[N]

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Birth event—labour induction method, code N[N]

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Labour induction method
Synonymous names:	Method of labour induction
METEOR identifier:	732387
Registration status:	Health! , Standard 03/12/2020
Definition:	The method used to induce labour in a birth event, as represented by a code.
Context:	Perinatal
Data Element Concept:	Birth event—labour induction method
Value Domain:	Labour induction code N[N]

Value domain attributes

Representational attributes

Representation class:	Code
Data type:	Number
Format:	N[N]
Maximum character length:	2

	Value	Meaning
Permissible values:	1	Oxytocin
	2	Prostaglandins
	3	Artificial rupture of membranes (ARM)
	6	Mechanical cervical dilatation
	7	Antiprogesterone
	88	Other
	Supplementary values:	99

Collection and usage attributes

Guide for use:	<p>CODE 6 Mechanical cervical dilatation</p> <p>An example of this induction method is the use of a cervical ripening balloon catheter.</p> <p>CODE 7 Antiprogesterone</p> <p>Also known as antiprogesterone or antiprogesterin.</p>
Comments:	<p>Code 4 (Other) has been omitted as it is no longer in use. For information about its meaning in previous value domains, see superseded versions. In the current value domain, Other should be reported as Code 88.</p> <p>Code 5 (Combined types) has been omitted as it is no longer in use.</p>

Source and reference attributes

Submitting organisation: National Perinatal Data Development Committee

Data element attributes

Collection and usage attributes

Guide for use: All methods of labour induction used should be recorded. Therefore, more than one permissible value may be recorded for this data element. Each method should be recorded once only.

Comments: The method of induction determines the progress and duration of labour and may influence the method of birth and the health status of the baby at birth.

Source and reference attributes

Submitting organisation: National Perinatal Data Development Committee

Relational attributes

Related metadata references: Supersedes [Birth event—labour induction method, code N\[N\] Health!](#), Superseded 03/12/2020

See also [Birth event—labour onset type, code N Health!](#), Superseded 17/12/2021

See also [Birth event—labour onset type, code N Health!](#), Standard 17/12/2021

Implementation in Data Set Specifications: [Perinatal NMDS 2021–22 Health!](#), Superseded 17/12/2021
Implementation start date: 01/07/2021
Implementation end date: 30/06/2022
Conditional obligation:

The data element is only to be recorded if the response to the [Birth event—labour onset type, code N](#) data element is Code 2 (Induced).

[Perinatal NMDS 2022–23 Health!](#), Standard 17/12/2021
Implementation start date: 01/07/2022
Implementation end date: 30/06/2023
Conditional obligation:

The data element is only to be recorded if the response to the [Birth event—labour onset type, code N](#) data element is Code 2 (Induced).