Birth event—labour induction method, code N[N]

Exported from METEOR (AIHW's Metadata Online Registry)

Birth event—labour induction method, code N[N]

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Labour induction method
Synonymous names:	Method of labour induction
METEOR identifier:	732387
Registration status:	Health!, Standard 03/12/2020
Definition:	The method used to induce labour in a birth event, as represented by a code.
Context:	Perinatal

Data element concept attributes

Identifying and definitional attributes

Data element concept:	Birth event—labour induction method
METEOR identifier:	695352
Registration status:	Health!, Standard 12/12/2018
Definition:	The method used to induce labour in a birth event.
Context:	Perinatal
Object class:	Birth event
Property:	Labour induction method

Value domain attributes

Identifying and definitional attributes

Value domain:	Labour induction code N[N]
METEOR identifier:	732383
Registration status:	Health!, Standard 03/12/2020
Definition:	A code set representing methods of labour induction.
Context:	Perinatal

Representational attributes

Representation class:	Code	
Data type:	Number	
Format:	N[N]	
Maximum character length:	2	
	Value	**Meaning**
Permissible values:	1	Oxytocin
	2	Prostaglandins
	3	Artificial rupture of membranes (ARM)
	6	Mechanical cervical dilatation
	7	Antiprogestogen

	88	Other
Supplementary values:	99	Not stated/inadequately described

Collection and usage attributes

Guide for use:	CODE 6 Mechanical cervical dilatation
	An example of this induction method is the use of a cervical ripening balloon catheter.
	CODE 7 Antiprogestogen
	Also known as antiprogesterone or antiprogestin.
Comments:	Code 4 (Other) has been omitted as it is no longer in use. For information about its meaning in previous value domains, see superseded versions. In the current value domain, Other should be reported as Code 88.
	Code 5 (Combined types) has been omitted as it is no longer in use.

Source and reference attributes

Submitting organisation:	National Perinatal Data Development Committee

Data element attributes

Collection and usage attributes

Guide for use:	All methods of labour induction used should be recorded. Therefore, more than one permissible value may be recorded for this data element. Each method should be recorded once only.
Comments:	The method of induction determines the progress and duration of labour and may influence the method of birth and the health status of the baby at birth.

Source and reference attributes

Submitting organisation:	National Perinatal Data Development Committee

Relational attributes

Related metadata references:	Supersedes Birth event—labour induction method, code N[N] Health!, Superseded 03/12/2020
	See also Birth event—labour onset type, code N Health!, Superseded 17/12/2021
	See also Birth event—labour onset type, code N Health!, Standard 17/12/2021

Implementation in Data Set Specifications:

Perinatal NMDS 2021–22

    Health!, Superseded 17/12/2021

Implementation start date: 01/07/2021

Implementation end date: 30/06/2022

Conditional obligation:

The data element is only to be recorded if the response to the Birth event—labour onset type, code N data element is Code 2 (Induced).

Perinatal NMDS 2022–23

    Health!, Standard 17/12/2021

Implementation start date: 01/07/2022

Implementation end date: 30/06/2023

Conditional obligation:

The data element is only to be recorded if the response to the Birth event—labour onset type, code N data element is Code 2 (Induced).