

## © Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

## **Birthweight**

## Identifying and definitional attributes

Metadata item type: Glossary Item

**METEOR** identifier: 733258

Registration status: Health!, Standard 03/12/2020

Tasmanian Health, Standard 24/12/2021

**Definition:** The first weight of a <u>live born</u> or <u>stillborn</u> baby obtained after birth. The World

Health Organization further defines the following categories:

extremely low birthweight: less than 1,000 grams (up to and including 999

very low birthweight: less than 1,500 grams (up to and including 1,499

grams),

low birthweight: less than 2,500 grams (up to and including 2,499 grams).

Context: Perinatal

## Collection and usage attributes

Comments: The definitions of low, very low, and extremely low birthweight do not constitute

mutually exclusive categories. Below the set limits they are all-inclusive and therefore overlap (i.e. low includes very low and extremely low, while very low

includes extremely low).

For live births, birthweight should preferably be measured within the first hour of life before significant postnatal weight loss has occurred. While statistical tabulations include 500 gram groupings for birthweight, weights should not be recorded in those groupings. The actual weight should be recorded to the degree of accuracy

to which it is measured.

## Source and reference attributes

**Submitting organisation:** National Perinatal Data Development Committee

Reference documents: World Health Organization 2004. International Statistical Classification of Diseases

and Related Health Problems, 10th Revision (ICD-10), 2nd edn. Geneva: World

Health Organization.

## Relational attributes

Related metadata Supersedes Birthweight

Health!, Superseded 03/12/2020 references: Indigenous, Standard 02/04/2019 Tasmanian Health, Standard 24/06/2020

See also Birthweight

Health!, Superseded 03/12/2020 Indigenous, Superseded 14/07/2021 Tasmanian Health, Standard 03/07/2020

# Metadata items which use this glossary item:

## Birth status code N

Health!, Standard 03/12/2020 Indigenous, Standard 14/07/2021

## Birthweight recorded indicator

<u>Health!</u>, Standard 12/12/2018 <u>Indigenous</u>, Standard 02/04/2019

## Perinatal NBEDS 2021-22

Health!, Superseded 17/12/2021

## Perinatal NBEDS 2022–23

Health!, Standard 17/12/2021

## Perinatal NMDS 2021-22

Health!, Superseded 17/12/2021

#### Perinatal NMDS 2022-23

Health!, Standard 17/12/2021

### Person—birthweight recorded indicator

Health!, Standard 12/12/2018 Indigenous, Standard 02/04/2019

## Person—birthweight recorded indicator, yes/no code N

<u>Health!</u>, Standard 12/12/2018 <u>Indigenous</u>, Standard 02/04/2019

## Product of birth—birth order, code N

Health!, Standard 03/12/2020

#### Product of birth—birthweight, code N

Indigenous, Standard 14/07/2021

## Product of birth—birthweight, total grams N[NNN]

Health!, Standard 03/12/2020