

Female—primary maternity model of care, identifier NNNNNN

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Female—primary maternity model of care, identifier NNNNNN

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Primary maternity model of care
METEOR identifier:	733531
Registration status:	HealthI , Standard 03/12/2020
Definition:	The maternity model of care a female received for the majority of pregnancy care, as represented by a numeric identifier.
Context:	Perinatal
Data Element Concept:	Female—primary maternity model of care
Value Domain:	Identifier NNNNNN

Value domain attributes

Representational attributes

Representation class:	Identifier
Data type:	Number
Format:	NNNNNN
Maximum character length:	6

Data element attributes

Collection and usage attributes

Guide for use: This value is populated using the [Maternity Care Classification System \(MaCCS\)](#) and is the value of the unique model of care code.

The model of care a female received for the majority of pregnancy care, as determined by the number of antenatal visits within that model of care.

Where the number of antenatal visits is equal for more than one model of care, the referring model of care should be selected. For example, if a female was in a low-risk GP shared care model for 6 antenatal visits and then developed hypertension and pre-eclampsia and was referred to a high-risk model for 6 antenatal visits, the GP shared care should be selected for this data element.

Collection methods: To be collected once, after the birth.

Source and reference attributes

Submitting organisation:	Australian Institute of Health and Welfare
Origin:	National Maternity Data Development Project
Reference documents:	Australian Institute of Health and Welfare 2014. Foundations for enhanced maternity data collection and reporting in Australia: National Maternity Data Development Project Stage 1. Cat. no. PER 60. Canberra: AIHW. Viewed 18 September 2020, https://www.aihw.gov.au/reports/mothers-babies/foundations-for-enhanced-maternity-data-collection/contents/table-of-contents

Relational attributes

Related metadata references:

Supersedes [Female—primary maternity model of care, identifier NNNNNN Health!](#), Superseded 03/12/2020

See also [Female—maternity model of care at the onset of labour or non-labour caesarean section, identifier NNNNNN Health!](#), Standard 03/12/2020

See also [Maternity model of care NBPDS Health!](#), Standard 14/05/2015

Implementation in Data Set Specifications:

[Perinatal NBEDS 2021–22](#)

[Health!](#), Superseded 17/12/2021

Implementation start date: 01/07/2021

Implementation end date: 30/06/2022

DSS specific information:

This data element is recorded for the mother only.

[Perinatal NBEDS 2022–23](#)

[Health!](#), Standard 17/12/2021

Implementation start date: 01/07/2022

Implementation end date: 30/06/2023

DSS specific information:

This data element is recorded for the mother only.