Birth event—labour onset type, code N

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY4.0 (CC BY4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Birth event—labour onset type, code N

Identifying and definitional attributes

Metadata item type:	Data Element
Short name:	Labour onset type
Synonymous names:	Onset of labour
METEOR identifier:	735046
Registration status:	Health!, Superseded 17/12/2021
Definition:	The manner in which labour started in a birth event, as represented by a code.
Context:	Perinatal

Data element concept attributes

Identifying and definitional attributes

Data element concept:	Birth event—labour onset type
METEOR identifier:	696197
Registration status:	Health!, Standard 12/12/2018
Definition:	The manner in which labour started in a birth event.
Context:	Perinatal
Object class:	Birth event
Property:	Labour onset type

Value domain attributes

Identifying and definitional attributes

Value domain:	Onset of labour code N
METEOR identifier:	695336
Registration status:	Health!, Superseded 17/12/2021
Definition:	A code set representing the manner in which labour started.

Representational attributes

Representation class:	Code	
Data type:	Number	
Format:	Ν	
Maximum character length:	1	
	Value	Meaning
Permissible values:	1	Spontaneous
	2	Induced
	3	No labour
Supplementary values:	9	Not stated/inadequately described

Collection and usage attributes

Guide for use: Labour commences at the onset of regular uterine contractions, which act to produce progressive cervical dilatation, and is distinct from spurious labour or pre-labour rupture of membranes.

CODE 1 Spontaneous

Record if prostaglandins were given to induce labour and there is no resulting labour until after 24 hours.

CODE 3 No labour

Can only be associated with a caesarean section.

Data element attributes

Collection and usage attributes

Guide for use:

This data element should be recorded in conjunction with the data element <u>Birth</u> <u>event—labour induction method, code N</u> when the labour onset type is Code 2 (Induced).

This data element should be recorded in conjunction with the <u>Birth event</u><u>analgesia administered indicator, yes/no/not stated/inadequately described code N</u> data element when labour onset type is Code 1 (Spontaneous) or Code 2 (Induced).

This data element should be recorded in conjunction with the <u>Birth event—type of</u> <u>analgesia administered, code N[N]</u> data element when labour onset type is Code 1 (Spontaneous) or Code 2 (Induced) and the <u>Birth event—analgesia administered</u> <u>indicator, yes/no/not stated/inadequately described code N</u> data element is Code 1 (Yes).

This data element should be recorded in conjunction with the <u>Birth event—main</u> <u>indication for induction of labour, code N[N]</u> data element when labour onset type is Code 2 (Induced).

This data element should be recorded in conjunction with the <u>Birth event</u><u>additional indication for induction of labour, code N[N]</u> data element when labour onset type is Code 2 (Induced), the <u>Birth event</u><u>main indication for induction of labour, code N[N]</u> data element is completed, and there is more than one reason for which an induction was performed.

Source and reference attributes

Submitting organisation: National Perinatal Data Development Committee

Relational attributes

Related metadata references:	Supersedes <u>Birth event—labour onset type, code N</u> <u>Health!</u> , Superseded 03/12/2020
	Has been superseded by <u>Birth event—labour onset type, code N</u> <u>Health!</u> , Standard 17/12/2021
	See also <u>Birth event—additional indication for induction of labour, code N[N]</u> <u>Health!</u> , Standard 03/12/2020
	See also <u>Birth event—analgesia administered indicator, yes/no/not</u> <u>stated/inadequately described code N</u> <u>Health!</u> , Standard 03/12/2020
	See also <u>Birth event—labour induction method, code N[N]</u> <u>Health!</u> , Standard 03/12/2020
	See also <u>Birth event—main indication for induction of labour, code N[N]</u> <u>Health!</u> , Standard 03/12/2020
	See also <u>Birth event—type of analgesia administered, code N[N]</u> <u>Health!</u> , Superseded 17/12/2021
Implementation in Data Set Specifications:	Perinatal NMDS 2021–22 Health!, Superseded 17/12/2021 Implementation start date: 01/07/2021 Implementation end date: 30/06/2022 DSS specific information: How labour commenced is closely associated with method of birth and maternal and neonatal morbidity. Induction rates vary for maternal risk factors and obstetric complications and are important indicators of obstetric intervention.

This data element is recorded for the mother only.