

# Youth Justice Offence file cluster

Exported from METEOR (AIHW's Metadata Online Registry)

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AIHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at <https://creativecommons.org/licenses/by/4.0/>.

Enquiries relating to copyright should be addressed to [info@aihw.gov.au](mailto:info@aihw.gov.au).

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at [meteor@aihw.gov.au](mailto:meteor@aihw.gov.au).

# Youth Justice Offence file cluster

## Identifying and definitional attributes

<b>Metadata item type:</b>	Data Set Specification
<b>METEOR identifier:</b>	743794
<b>Registration status:</b>	<a href="#">Youth Justice, Standard 15/02/2022</a>
<b>DSS type:</b>	Data Element Cluster
<b>Scope:</b>	The offence file cluster contains the Australian and New Zealand Standard Offence Classification (ANZSOC) code of all offences relating to sentenced supervised orders (e.g. sentenced detention, probation).

## Metadata items in this Data Set Specification

Seq No.	Metadata item	Obligation	Max occurs
1	<a href="#">Person—person identifier, XXXXXX[X(14)]</a>	Mandatory	1

### *DSS specific information:*

A person identifier is a jurisdictionally-specific code that uniquely identifies a young person (youth justice client) within the State or Territory youth justice department responsible for the young person.

A State or Territory identifier should be the first character of the person identifier according to the following:

- 1 = New South Wales
- 2 = Victoria
- 3 = Queensland
- 4 = South Australia
- 5 = Western Australia
- 6 = Tasmania
- 7 = Northern Territory
- 8 = Australian Capital Territory
- 9 = Other territories (e.g. Christmas Island)

2 [Order—offence identifier. X\[X\(49\)\]](#)

Mandatory 99

**DSS specific information:**

The offence identifier allows for a single offence to be mapped to multiple orders.

For example, a young person is serving a sentence in detention for offence type 1350. They are released on parole/supervised release in relation to this offence.

The first record shows the young person was supervised under order ID 12 (the sentenced detention) in relation to offence type 1350. In the second record, the offence is the same as in the first record because a) the offence types are the same and b) the offence ID is the same. A second record is required because the order ID is different (the parole order).

Person ID	Offence ID	Offence type	Order ID
6	1	1350	12
6	1	1350	13

If the offence identifier matches the offence identifier of another record for the same person identifier, the offence types must be the same.

No null values.

3 [Order—offence type, offence code \(ANZSOC 2011\) N\[NNN\]](#)

Mandatory 99

**DSS specific information:**

The offence identifier allows for a single offence to be mapped to multiple orders.

For example, a young person is serving a sentence in detention for offence type 1350. They are released on parole/supervised release in relation to this offence.

The first record shows the young person was supervised under order ID 12 (the sentenced detention) in relation to offence type 1350. In the second record, the offence is the same as in the first record because a) the offence types are the same and b) the offence ID is the same. A second record is required because the order ID is different (the parole order).

Person ID	Offence ID	Offence type	Order ID
6	1	1350	12
6	1	1350	13

If the offence identifier matches the offence identifier of another record for the same person identifier, the offence types must be the same.

No null values.

Seq No.	Metadata item	Obligation	Max occurs
4	<p data-bbox="231 156 582 190"><a href="#">Order—order identifier, X[X(49)]</a></p> <p data-bbox="263 224 566 257"><b>DSS specific information:</b></p> <p data-bbox="263 280 1109 369">For the purposes of the Youth Justice NMDS, this unique identifier is retained across collection periods. The identifier is assigned by the State or Territory youth justice department.</p> <p data-bbox="263 392 1141 492">This item uniquely identifies each supervised (sentenced) order. The order identifier links the offence type with an order in the Order file of the YJ NMDS. Each order in the Order file should have one or more records in the Offence file.</p>	Mandatory	99
5	<p data-bbox="231 571 790 604"><a href="#">Address—suburb/town/locality name, text X[X(45)]</a></p> <p data-bbox="263 638 566 672"><b>DSS specific information:</b></p> <p data-bbox="263 694 1109 750">This item is collected for the court in which the young person appeared when placed on the order relating to the offence.</p> <p data-bbox="263 772 678 806"><b>Suburb and postcode information</b></p> <p data-bbox="263 828 1157 952">From July 2020, an all-inclusive list of postcodes and suburbs will be used to check postcodes in the YJ NMDS. This list consists of unique postcodes and suburbs across all current and historical versions of postcode data purchased by the AIHW.</p> <p data-bbox="263 974 949 1041">For the most current list of valid postcodes and suburbs, go to <a href="http://www.postconnect.com.au/postcode-data">http://www.postconnect.com.au/postcode-data</a>.</p>	Mandatory	99
6	<p data-bbox="231 1097 550 1131"><a href="#">Order—court type, code N[N]</a></p>	Mandatory	99