Episode of admitted patient care—intervention, code (ACHI 12th edn) NNNNN-NN

Exported from METEOR (AIHW's Metadata Online Registry)
© Australian Institute of Health and Welfare 2024
This product, excluding the AlHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a

This product, excluding the AlHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Episode of admitted patient care—intervention, code (ACHI 12th edn) NNNNN-NN

Identifying and definitional attributes

Metadata item type: Data Element
Short name: Intervention

Synonymous names: Clinical intervention; Procedure; Surgical operation

METEOR identifier: 746669

Registration status: Health!, Standard 20/10/2021

Definition: A <u>clinical intervention</u> represented by a code that:

is surgical in nature, and/or
carries a procedural risk, and/or
carries an anaesthetic risk, and/or
requires specialised training, and/or

• requires special facilities or equipment only available in an admitted patient

care setting.

Data element concept attributes

Identifying and definitional attributes

Data element concept: Episode of admitted patient care—intervention

METEOR identifier: 746719

Registration status: Health!, Standard 20/10/2021

Definition: A clinical intervention that:

is surgical in nature, and/or
carries a procedural risk, and/or
carries an anaesthetic risk, and/or
requires specialised training, and/or

· requires special facilities or equipment only available in an acute care setting.

Object class: Episode of admitted patient care

Property: <u>Intervention</u>

Value domain attributes

Identifying and definitional attributes

Value domain: Intervention code (ACHI 12th edn) NNNNN-NN

METEOR identifier: 746678

Registration status: Health!, Standard 20/10/2021

Definition: The Australian Classification of Health Interventions (12th edition) code set

representing procedures.

Representational attributes

Classification scheme: Australian Classification of Health Interventions (ACHI) 12th edition

Representation class: Code

Data type: String

Format: NNNNN-NN

Maximum character length: 8

Data element attributes

Collection and usage attributes

Collection methods: Interventions are classified from, and must be substantiated by, clinical

documentation.

Source and reference attributes

Submitting organisation: Independent Hospital Pricing Authority Origin: Independent Hospital Pricing Authority

Relational attributes

Related metadata references:

Supersedes Episode of admitted patient care—procedure, code (ACHI 11th edn)

NNNNN-NN

Health!, Superseded 20/10/2021

Tasmanian Health, Standard 08/04/2019

Specifications:

Implementation in Data Set Admitted patient care NMDS 2022–23 Health!. Standard 20/10/2021

> Implementation start date: 01/07/2022 Implementation end date: 30/06/2023

Conditional obligation:

This data element is only to be reported if a health intervention is performed in the episode of care.

DSS specific information:

As a minimum requirement intervention codes must be valid codes from the Australian Classification of Health Interventions (ACHI) codes. More extensive edit checking of codes may be utilised within individual hospitals and state and territory information systems.

An unlimited number of diagnosis and intervention codes should be able to be collected in hospital morbidity systems. Where this is not possible, a minimum of 20 codes should be able to be collected.

Classify interventions undertaken during an episode of care in accordance with the relevant Australian Coding Standards and National Coding Rules.

The order of codes should be determined using the following hierarchy:

- intervention(s) performed for treatment of the principal diagnosis
- intervention(s) performed for the treatment of an additional diagnosis
- diagnostic/exploratory intervention(s) related to the principal diagnosis
- diagnostic/exploratory intervention(s) related to an additional diagnosis.