

© Australian Institute of Health and Welfare 2024

This product, excluding the AIHW logo, Commonwealth Coat of Arms and any material owned by a third party or protected by a trademark, has been released under a Creative Commons BY 4.0 (CC BY 4.0) licence. Excluded material owned by third parties may include, for example, design and layout, images obtained under licence from third parties and signatures. We have made all reasonable efforts to identify and label material owned by third parties.

You may distribute, remix and build on this website's material but must attribute the AlHW as the copyright holder, in line with our attribution policy. The full terms and conditions of this licence are available at https://creativecommons.org/licenses/by/4.0/.

Enquiries relating to copyright should be addressed to info@aihw.gov.au.

Enquiries or comments on the METEOR metadata or download should be directed to the METEOR team at meteor@aihw.gov.au.

Perinatal death

Identifying and definitional attributes

Metadata item type: Glossary Item

METEOR identifier: 750440

Registration status: <u>Health!</u>, Standard 17/12/2021

Definition: A perinatal death is a death occurring prior to or during labour and/or birth

(<u>stillbirth</u>) or up to 28 days after birth (<u>neonatal death</u>) where babies are of 20 or more completed weeks gestation or with a birthweight of at least 400 grams.

Source and reference attributes

Submitting organisation: Australian Institute of Health and Welfare

Relational attributes

Metadata items which use Perinatal death type

this glossary item: Health!, Standard 17/12/2021

Perinatal Mortality NBEDS 2022–23 Health!, Standard 17/12/2021

<u>Product of birth—perinatal death type</u> <u>Health!</u>, Standard 17/12/2021

Product of birth—perinatal death type, code N

Health!, Standard 17/12/2021